## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



Founded 1854 by THOMAS MEEHA Incorporated 1902

J. FRANKLIN MEEHAN President

S. MENDELSON MEEHAN Vice-President

Sec, and Treas

CAPITAL STOCK, \$100,000 275 ACRES

# Meehans' Nurseries

# Wholesale Trade List Fall, 1902

THOMAS MEEHAN & SONS, Inc.

Wholesale Department

Dreshertown, Montgomery Co., Pa.

[COPY OF CERTIFICATE]

THE COMMONWEALTH OF PENNSYLVANIA

DEPARTMENT OF ACRICULTURE Certificate of Inspection of Nursery Stock No. 142.

This is to certify that the stock in the nursery of Thomas Meehan & Sons, Inc., of Dreshertown, County of Montgomery, State of Pennsylvania, was duly examined in compliance with the provisions of the Act of Legislature of Pennsylvania, approved the 10th day of June, A. D., 1901, and it was found to be apparently free from San Jose Scale and other dangerously injurious insect pest or pests.

This Certificate expires July 31, 1903.

Dated Harrisburg, Pa., August 7, 1902.

GEO. C. BUTZ, Inspector.

### Special Notice

Our nurseries have been carefully inspected and no trace of scale or other injurious insects found. For the benefit of customers. however, who wish stock fumigated, we have erected a fumigating house, and when requested to do so will fumigate shipments before packing.

This will be done, however, entirely at the risk of purchaser.

Long Distance Telephone United States Express Office Ambler, Pa. Telegraph Office

## Important! Please Read!

CUSTOMERS are requested to state the mode of conveyance by which they desire their trees forwarded. When no route is named we forward to the best of our judgment; but in no case do we assume any responsibility after the goods are shipped, unless for our own mistakes.

TERMS CASH, on or before delivery to express or railroad agents, unless by special arrangement.

TWO HUNDRED AND FIFTY, twenty-five and five will be furnished at the thousand, hundred and ten rates respectively. Packing Charged Extra.

Post-Office Orders payable at Dreshertown, Montgomery Co., Pa.

OUR DESCRIPTIVE CATALOGUE is complete and will be sent to all applicants.

VISITORS are always welcome and should take train at 12th and Market Streets, Philadelphia, for Camp Hill Station, or at Broad and Filbert Streets for Fort Hill Station. Be sure that the train you take stops at these stations. NOTICE.—It is necessary that you should Telephone us (26 Ambler) in advance of your coming, so that we can send a carriage to the station for you. Our office is 2½ miles from either station.

## Notice of Incorporation

On July 1st, 1902, the firm of Thomas Meehan & Sons was incorporated under the laws of the State of Pennsylvania, consolidating with it the wholesale business of Meehan Brothers, situated at Dreshertown, Montgomery County, Pa. This combination increased the size of the nurseries to two hundred and seventy-five acres, making probably one of the largest nurseries of strictly ornamental trees, shrubs and hardy plants in the United States. To facilitate the carrying on of this extensive business, an office was opened at Dreshertown for the transaction of the wholesale department of the firm—the stock grown at this place also being used entirely for wholesale purposes. The Germantown office and nurseries will be confined entirely for the carrying on and growing of stock for retail purposes only.

This consolidation and separation of the wholesale and retail department of the business will enable both branches to conduct their respective departments more satisfactorily, and to handle the business and ship stock more quickly than has heretofore been the case.

Though the business has been incorporated, the ownership and management remains wholly in the hands of the former members of the firm.

### DECIDUOUS TREES.

"Trans." signifies the stock has been once or more transplanted.
"Seed." that it is still in Seedling Beds.

					Per 10	Per 100	Per 1000
Acer	campestre,	English	Cork Maple,	4 to 5 ft. trans.	\$3 50		
	dasycarpun			1 to 2 ft, seed.	35	\$ 75	\$ 4 00
14	41	"		4 to 5 ft. trans.	1 25	9 00	
. 66	46	44	16	5 to 6 ft. trans.	1 50	10 00	
**		6.6	11	6 to 7 ft. trans.	1 75	12 00	
**	- 46	46	44	7 to 8 ft. trans.	2 00	15 00	
65	61	**	46	15 to 18 ft. trans.	35 00		

These 15 to 18 feet trees are extra selected specimens, transplanted three years ago and planted wide apart, enabling the heads to develop into large shapely tops. They have perfectly straight stems and have an abundance of strong, fibrous roots. They are particularly desirable for use where a selected, transplanted and well developed tree is required for immediate effect.


```
" Wierii, Wier's Cut-leaved Maple, 7 to 8 ft. trans. 3 50 30 00 12 ft. trans. 15 00
```

Our 12 feet Wier's Cut-leaved Maple are very fine specimens, with straight leaders and low-branched. They were transplanted three years ago and set wide apart in the nursery rows, and have not been crowded.

66	negundo, As	sh-leaved	Maple.	Box Elder, 1 to 2 ft. seed	l. 35	75	5 00
64	16	46	11 ,	" 6 to 7 ft. trans		10 00	90 00
66	tr	46	44	" 7 to 8 ft. trans	s. 2 00	12 00	100 00
66	**	- 66	44	" 9 to 10 ft, trans	s. 2 50	15 00	120 00
6.6	11	44	66	11/2 in, diam, 10 to 12 ft, trans	s 3 00	17 50	
8.6	u	41	"11% to	13/4 in. diam. 12 to 14 ft. trans	s. 3 50	25 00	
4.6	66	16	" 2 to	21/4 in. diam. 12 to 14 ft. trans	s. 4 00	30 00	
4.6	platanoides,	Norway N	Taple.	3 to 4 ft. trans.	1 25	10 00	90 00
66	"	. "	44	4 to 5 ft. trans.	1 75	15 00	125 00
44	44	. 66	46	6 to 7 ft, trans.	2 00	18 00	150 00
66	46	44	46	7 to 8 ft, trans.	2 50	20 00	
66	**			9 to 10 ft. trans.	3 00	25 00	
66	66		" 2 to 21/	in, diam, 10 to 12 ft. trans.	5 00	40 00	
66	**	**		3/4 in. diam, 12 ft. trans.	8 50	75 00	
44	**	46		3 in. diam. 12 to 14 ft, trans.	30 00		

The 12 to 14 feet,  $1\frac{1}{4}$  to 3 inch trees are specimen plants, transplanted three years ago, which have been set out in wide nursery rows to enable the heads to have ample room to fully develop, without crowding. The trees have perfectly straight trunks, and are heavily rooted. They are especially desirable where specimen trees of good size are needed for immediate effect.

		001					
66	Schwedleri,	Furple-l'v'd Nor	way N	laple, 7 to 8 ft. tran	s. 5 00		
4.6	pseudo-platar	us, Sycamore M	aple,	6 in. seed.	35	. 75	6 00
66	"	44	66	2 to 3 ft. trans.	1 25	10 00	80 00
66	"		46	8 to 9 ft. trans.	2 50		
66	11.	11	44	10 to 11 ft. trans.	3 50		
66	rubrum, Red	Maple,		10 to 12 in. seed.	35	1 25	10 00
44	11 11	"		6 to 7 ft. trans.	3 00	25 00	
66		11		7 to 8 ft. trans.	3 50	30 00	
44	41 - 41	44		9 to 10 ft. trans.	4 00	35 00	



						Per 10	Per 100	Per 1000
A	ce	r saccharin	um, Suga	ar Maple,	6 in. seed.	\$ 35	\$ 75	<b>\$</b> 6 00
	16	44		"	7 to 8 ft. trans.	2 00	15 00	
	6.6	46	1 46		9 to 10 ft. trans.	2 50	20 00	175 00
	8.6	66	46	66	10 to 12 ft. trans.	3 00	25 00	200 00
	8.6	68	10 H 46	134 to 13% in. diam.	12 to 14 ft. trans.	3 50	30 00	250 00
	6.6	- 44		11/2 to 15/8 in, diam.	12 to 14 ft. trans.	4 00	35 00	300 00
	44	- 66	66	13/4 to 2 in. diam.	12 to 14 ft. trans.	8 50	75 00	600 00
	66	66		21/4 to 21/2 in. diam.	12 to 14 ft, trans.	15 00	125 00	
	66		nigrum, B	lack Sugar Ma	ple. 6 to 7 ft. trans.	1 75	15 00	
	6.6	44			" 8 to 9 ft. trans.	2 00	17 50	
	66	**	46	"	" 9 to 10 ft. trans.	2 50	20 00	
	66	46	4.6	46	" 10 to 12 ft. trans.	2 75	25 00	
	66	. 66	46	46 . 46	" 12 to 14 ft. trans.	3 50	30 00	

The leaves of the Black Sugar Maple are heavier and of darker color than the other form, and being of tougher texture are not attacked by insects.

	spicatum, Mou	ntain Maple,	2 to 3 ft. trans.	2 00	18 00
3.3	44	46	4 to 5 ft. trans.	3 50	30 00
-6-6	- 11	6.	5 to 6 ft. trans.	4 00	35 00
66	Tataricum Ginn	ale "	5 to 6 in, seed,	35	2 00
66	46 41	46	2 to 21/2 ft. trans.	1 50	12 00
4.6	46 6	"	$2\frac{1}{2}$ to 3 ft. trans.	2 50	20 00

The Ginnale Maple is remarkable for the brilliant coloring of its leaves in the fall. It is not a large-growing tree, but rather a good-sized bush.

### JAPANESE MAPLES.

\*Tit will be observed that nearly all of our Japanese Maples are pot-grown. This makes transplanting almost certain of success. Our plants are all home-grown and are much more hardy and healthy than the weak, imported stock.

Ace	r Japonicum	aureum, Golden	leaved,	18 to 24 in.	from pots	\$15 0	0		
14	polymorphu	m, Green-leaved	,	18 to 24 in.	from pots	10 0	0		
44	**	atropurpureur Cut-le	n dissectum, aved purple,	} 18 to 24 in	from pot	s 15 0	0		
	66	atropurpureur	n, Purple-leav	ed, 12 to 1	5 in. trans.	8 5	0		
11	4.6	46	**	15 to 1	8 in. trans.	10 0	0		
44	44	66	66	18 to 2	4 in. trans.	12 5	0		
Æs	culus glabr	Am. Horse-	Chestnut.	2 to 3 ft	t. seed.	5	0 \$ 4	00	
	" hippocast	anum, Eu. Hors	se-Chestn	ut. 18 to 24	in. trans.	12	5 10	00	
		44 5 34	66		t. trans.	15	0 12	00	
	66 66	66	46 2	3 to 4 f	t, trans.	25	0		
	66 66	46	44	8 to 10	ft. trans.	4 0	0 35	00	
Aila	nthus glan	idulosa,		18 to 24 i	in. seed.	3	5	75	\$ 4 00
66	46			4 to 5 ft	t. trans.	2 0	0 15	00	
66	- 41	female,		2 to 3 f	t.	15	0 12	00	
86	46	and the same of		12 ft. he	eavy	10 0	0		

The female Ailanthus is the seed-bearing form, and is almost free from the disagreeable odor common to the male form.

Alnus	glutinosa,	Europea	n Alder	32	1 ft. seed.	35	2 00
46	**			JOHN LOSEN IN	3 ft. trans.	1 50	10 00
	incana,	46			7 to 8 ft. trans.	1 75	15 00
66	66				9 to 10 ft. trans.	2 50	20 00
**	serrulata	"		bushy,	3 to 4 ft. trans.	1 75	15 00
Amy	gdalus P	ersica, Dou	ble White	Peach,	4 to 5 ft.	2 50	20 00
	**		Pink	**	4 to 5 ft.	2 50	20 00
	44	46 46	Red	46	4 to 5 ft.	2 50	20 00
Andr	omeda a	borea, Soi	rel Tre	θ,	3 to 4 ft. trans.	4_00	

		Per 10	Per 100	Per 1000
Aralia	Cashmerica, 2 to 3 ft.	trans. \$2 00		
**	Japonica, 2 ft. tran	s. 2 00		
4.6	pentaphylla, 6 to 8 in.	trans. 1 00	\$ 8 00	
44	" 12 to 18 in	trans. 1 50	10 00	
46	" 18 to 24 in.	trans. 2 00	18 00	
2.5	" 3 to 4 ft.	trans. 1 75	15 00	
6.6	" 4 ft. tran	s. heavy 3 50		
66	spinosa, 2 to 3 ft.	trans. 1 25	10 00	
66	3 to 4 ft.	trans. 1 50	12 00	
Asim	na triloba, Pawpaw, 3 to 4 ft.	trans. 2 50		
	a alba, European White Birch, 3 to 4 ft.	trans. 175	15 00	\$120 90
16	" " 4 to 5 ft.	trans. 2 00	17 00	150 00
6.6	" 6 to 7 ft.	trans. 2 50	20 00	
66	" 8 to 10 ft.	trans. 3 50		
66	" fastigiata, Pyramidal Birch, 3 to 4 ft.	trans. 4 00		
66	" laciniata, Cut-leaved Weeping, 6 to 7 ft.	trans. 6 00		
4.6	" purpurea, Purpie-leaved, 2½ to 3 f	t. trans. 4 00		
44	lenta, Sweet Birch, 3 to 4 ft.	trans. 2 50	20 00	
44	" " 4 to 5 ft.	trans. 3 00	25 00	
- 44	lutea, Yellow Birch, 3 to 4 ft.	trans. 1 75	15 00	
18	" 4 to 5 ft.	trans. 2 00	17 00	
44	" " 9 to 10 ft	trans. 3 50	30 00	
66	papyracea, Canoe or Paper Birch, 6 to 7 ft.	trans. 3 50	30 00	
44	rubra (nigra) Red or Water Birch, 6 to 8 in.	seed. 35	1 50	8 00
6.6	" " " 5 to 6 ft.	trans. 2 50	20 00	
6.6	" " 6 to 8 ft.	trans. 3 00	25 00	
66	" " heavy, 10 to 12 ft	trans. 5 00		

We have a splendid stock of the different varieties of Birch. They are all low-branched and bushy and for general landscape and park work this is the only way to grow them. Our plants are all young and thrifty and have excellent roots.

Broussonetia papyrifera, Paper Mulberry, 10 to 11 to	t. trans. 5 00		
Carpinus Americana, Am. Hornbeam. 1 to 2 ft	trans. 1 25	10 00	
" bushy, 18 to 24 i	n. trans. 1 50	12 00	
" 2 to 2½	ft. trans. 2 50		
" Betulus, Eu. Hornbeam, 2½ to 3	ft. trans. 150		
heavy, 3 to 4 ft	trans. 2 50		
Carya alba, Shellbark, 3 to 4 in	a. seed. 35	2 50	15 00
" amara, Bitternut, 3 to 5 in	a. seed. 35	2 00	10 00
" microcarpa, 2 to 3 ft	. seed. 50		
" 4 to 5 f	t. seed. 85		
" olivæformis, Pecan. 4 to 8 in	seed. 35	2 00	
" 12 to 18 i	n. seed. 50	3 00	
" " " 3 to 4 f	t. seed. 1 00		
" porcina, Pignut 8 to 12 i	n. seed. 35	2 00	
	ft. seed. 50	3 00	
" tomentosa, 3 in. se	ed. 35	2 00	10 00
" 8 to 12 i	n. seed. 50		
Castanea Americana, Sweet Chestnut, 12 to 18 i	n. seed. 50	3 00	
	ft. trans. 2 00	15 00	
" pumila, Chinquepin, bushy, 3 to 4 ft	. trans. 3 50		
" vesca, Spanish, 8 to 12 i	n. seed. 50	3 00	
" " 2 to 3 f	2 00		
6 to 8 f	3 50		
Catalpa bignonioides, Eastern Catalpa, 1 to 2 f	t. seed. 35	1 00	6 00
" 5 to 6 ft	. trans. 2 50	20 00	
" aurea, Colden-leaved, 2 to 21/2	ft. trans. 2 50		
" " 3 to 4 ft			
" 4 to 5 ft	. trans. 4 00		
" Bungei, Standards, 2 year heads, 6 to 7 ft	trans. 4 00		
" nana, Dwarf, heavy, 21/2 ft. t	rans. 3 00		

						Per 10	Per 100	Per 1000
Catalpa	Kæmpfe	ri, Japar	nese.		8 to 12 in. seed.	\$ 35	\$1 50	
"	- 11	6.	- 12 TH 12 K		3 to 4 ft. seed.	5)	3 00	
66	66		13/4 to 2 in	diam 1	2 to 14 ft. trans.	3 50		
66	speciosa,	Wester	n.		8 to 12 in. seed.	35	1 00	\$ 5 00
6.6	6.6	46	and the same of the		6 to 7 ft. trans.	1 75	15 00	120 00
44	- 46	**			8 to 9 ft. trans.	2 50	20 00	150 00
- 66	6.6	**	1½ to 1¾	in. diam.	9 to 10 ft. trans.	3 00	25 00	
66	66	44	2 to 21/2 in	n. diam.	12 to 14 ft. trans.	4 00	35 00	
Celtis oc	cidentalis,	Nettle,	or Hackb	erry,	5 to 6 ft. trans.	2 50	20 00	150 00
66	44	"		District	8 to 9 ft. trans.	3 50	-	
	ımila,				10 to 12 in. seed.	50		
44	46				4 to 5 ft.	3 50		
Cerasus	serotina	Am. Bi	rd Cherry		12 to 18 in, seed.	35	1 00	
44	46	46 6	4 44		3 to 4 ft. trans.	1 00	8 00	70 00
66	- "				4 to 5 ft. trans.	1 25	10 00	
4.6	4.6	44 4	6 66		5 to 6 ft. trans.	1 75	15 00	
66	66	66 6			6 to 7 ft. trans.	2 50	20 00	
66	Pennsyl				2 to 3 ft. seed.	1 50		
44	rosea pe	ndula, We	eping flower	'g Cherr	y, 6 ft. 1 year head			
66			Double W	hite,	4 to 5 ft. trans.	2 00	18 00	
44	66	44 46	66	**	5 to 6 ft, trans.	2 50	20 00	
60		læflora, D	ouble Wh	ite,	4 to 5 ft. trans.	2 00	18 00	
16	44		66	46	5 to 6 ft. trans.	2 50	20 00	
**	Sieboldi	rubra pler	a, Double	Red,	4 to 5 ft. trans.	2 00	18 00	
46		46	**	66	5 to 6 ft. trans.	2 50	20 00	
63	- 66	66	•6	66	6 to 7 ft. trans.	3 50		
44	Sinensis	flora plen	a, Double	White,	4 to 5 ft. trans.	2 00	18 00	
6.6	66		"	- 66	5 to 6 ft. trans.	2 50	20 00	
	.44	11 11	"	**	6 to 7 ft. trans.	3 50		

\*Double-flowering cherries are beautiful in the spring and should be more largely planted where a good flowering effect is wanted. They are all perfectly hardy over almost the entire country. The leaves of Sieboldi are quite pretty also in the fall.

Cercia	liphyllun	Japonicum,		2 to 3 ft. trans.	3 50		
Cercis	Canadensi	s, Red Bud	or Judas,	18 to 24 in. trans.	1 00	8 00	
66	44	16	46	2 to 2½ ft. trans.	1 50	12 00	100 00
44	66		**	2½ to 3 ft. trans.	1 75	15 00	
4.6	66	- 66	" heav	y, 3 to 4 ft. trans.	2 50	20 00	175 00
66	Japonica,	Japanese	Judas.	12 to 18 in. trans.	1 00	8 00	70 00
- 16	66			2 to 21/2 ft. trans.	1 50	10 00	
66	"			3 to 3½ ft. trans.	1 75	15 00	

\*\*GOUR stock of Red Bud or Judas will be found exceptionally large and fine this year. They are all transplanted.

Cladas	stris tin	ctoria, Y	ellow Wood,	4 to 5 ft. trans.	3 50		
66		**		5 to 7 ft. trans.	5 00		
Cornus	s florida,	White	Dogwood,	18 to 24 in. trans.	1 50	12 00	100 00
. 66	66	61		2 to 2½ ft. trans.	2 00	15 00	125 00
4.6	46	66	"	2½ to 3 ft. trans.	2 50	20 00	150 00
4.6	4.6	66	44	3 to 31/2 ft. trans.	3 50	30 00	250 00
6.6	66	66	66	6 to 7 ft trans	15 00		

The 6 to 7 ft. are very bushy, specimen plants, that have been transplanted within the last three years; they have well developed tops, and ample fibrous roots. They have been selected for perfect specimens and have been given all care necessary to make them such. They will be found particularly desirable where a well-formed, specimen Dogwood is required.

44	florie	da pend	ula, Weeping De	gwood,	2 to 3 ft. trans.	3 50	30 00
4.5	66	44	" The state of the		4 to 5 ft. trans.	5 00	
46	66	rubro,	Red-flowering	44	2 to 21/2 ft. trans.	3 50	30 00
66			"	46	2½ to 3 ft. trans.	4 00	35 00

Cytisus Laburnum,-See Shrubs.

		Per 10	Per 100	Per 1000
Dimorpanthus Mandshurica,	1 to 2 ft, trans.	\$1 25	\$10 00	1 61 1000
Diospyros Virginiana, Am. Persimmon,	8 to 10 in, seed.	35	2 00	
" " " " " "	3 ft. trans.	1 50	12 00	
46 46	4 ft. trans.	2 50	15 00	
44 44	5 to 7 ft. trans.	3 50	10 00	
Fagus ferruginea, American Beech,	2 to 3 ft. trans.	4 00	35 00	
" " " " "	3 to 4 ft. trans.	5 00	40 00	
" sylvatica, European Beech,	2 ft. bushy	2 00	18 00	
" heavy,	3 to 4 ft. trans.	3 00	25 00	
heavy,	4 to 5 ft. trans.	4 00	30 00	
" heavy,	5 to 6 ft, trans.	5 00	40 00	
The European Beech offered are ve				ooted.
" heterophylla, Cut-leaved Beech,	2 to 21/2 ft. trans.	4 00	V SUBU	
" pendula, Weeping Beech,	2½ to 3 ft. trans.	3 50		
" " " " " " "	4 to 5 ft. trans.	5 00	40 00	
44 Rivers' Blood-leaved,	18 to 24 in. trans.	3 00	10 00	
4 4 4 11 11 11	3 to 4 ft. trans.	5 00		
46 66 66	5 to 6 ft. trans.	7 50		
Fraxinus Americana, Am. White Ash,	6 to 10 in, seed.	35	1 00	\$ 6 00
" " " " "	5 to 6 ft. trans.	1 50	12 00	• 0 00
46 66	6 to 7 ft. trans.	1 75	15 00	100 00
46 66	7 to 8 ft, trans.	2 00	8 00	100 00
46 66 66	8 to 9 ft. trans.	2 50	20 00	
66 66 66	9 to 10 ft. trans.	3 00	25 00	
46 66	10 to 12 ft. trans.	3 50		
" Excelsior, English Ash,	8 to 9 ft. trans.	2 50		
41 11 11 11	10 to 11 ft. trans.	3 00	25 00	
" " " 1½ to 1¾ in.	. 10 to 12 ft. trans.	3 50	30 00	
" " 13/4 to 21/4 in	. 12 to 14 ft. trans.	4 00		
" aurea, Colden Ash,	3 to 4 ft. trans.	2 50		
" aucubæfolia,	7 to 8 ft. trans.	3 50		
" heterophylla, Cut-l'v'd Ash		3 50		
" pendula, Weeping Ash,	6 to 7 ft, trans.	3 50		
" Ornus, Flowering Ash,	5 to 6 ft, trans.	1 75	15 00	
41 11 11	6 to 7 ft. trans.	2 50	20 00	
46 46 46 41	7 to 8 ft. trans.	3 00		
" quadrangulata, Blue Ash,	5 to 6 ft. trans.	2 00	18 00	
	6 to 7 ft. trans.	2 50	20 00	
	7 to 8 ft. trans.	3 00	25 00	
" viridis, Creen Ash,	4 to 5 ft. seed.	75	5 00	
Cleditschia triacanthos, Honey Locust,	6 to 8 in. seed.	25	50	3 00
"	6 to 7 ft. trans.	2 50	20 00	
" "	10 ft. trans.	3 50		
Cymnocladus Canadensis, Ky. Coffee,	1 ft. seed.	35	1 50	7 00
	1 to 2 ft. seed.	50	2 00	10 00
" " "	4 to 5 ft. trans.	2 00	15 00	100 00
46 46	6 ft. trans.	3 00	25 00	
at the state of th	10 to 12 ft. trans.	4 00	35 00	Sec. 1
The Kentucky Coffee is especially				plant-
ing, its characteristic growth making	ng a striking app	earance	• (5.5)	
Juglans cinerea, Butternut,	1 to 2 ft. seed.	50	2 50	20 (0
11 11	3 ft. trans.	1 25	10 CO	
u u u	5 ft. trans.	2 00	15 00	
" nigra, Black Walnut,	1 to 2 ft. seed.	50	2 00	15 00
11	1 to 2 ft. trans.	1 25	10 00	80 00
Koelreuteria paniculata, Varnish Tree,	6 to 10 in, seed.	35	2 00	10 00
" "	18 to 24 in. seed.	50	3 00	
" Here is the second of the se	6 to 7 ft. trans.	3 50	1	
Larix Europæa, European Larch,	12 to 18 in. trans.	1 25	10 00	
	6 to 8 ft. trans.	2 50		
46 66	8 to 10 ft. trans.	3 00		
46 66	10 to 12 ft. trans.	4 00		

		Per 10	Per 100	Per 100
Larix Leptolepis, Pot-grow	n, 3 to 3½ ft. trans.	\$10 00		
Laurus Sassafras,	2 to 3 ft. trans.	2 50	\$20 00	
16 66	3 to 4 ft. trans.	3 50		
indera Benzoin,-See Shrubs.				
iquidambar styraciflua, Sweet Cum,	18 to 24 in. seed.	35	2 00	\$ 15 0
11 11 11 11	4 to 5 ft, trans.	3 00	25 00	200 0
66 66 66	5½ to 6 ft. trans.	3 50	30 00	
iriodendron tulipifera, Tulip Poplar,	1 to 2 ft. seed.	35	2 00	12 0
"" " " " " " " " " " " " " " " " " " "	4 to 5 ft. trans.	2 00	15 00	
Maclura aurantiaca, Osage Orange, bush		1 00	8 00	50 0
Magnolia conspicua, Chinese White, from po	ots 18 to 24 in.	5 00		
	ots 3 to 3½ ft. trans.	7 50		
" Fraseri (auriculata),	4 to 5 ft. trans.	7 50		
	18 to 24 in. trans.	2 50	20 00	
" glauca, Swamp White,	3 to 2½ ft. trans.	3 <b>5</b> 0	20 00	
	12 to 18 in. seed.	75	5 00	
Kobus,	12 to 15 in. trans.	3 50	20 00	
		6 00	20 00	
purpurea, Chinese I urple, from pou		3 00	<b>25 0</b> 0	
" Soulangiana, Chinese Pink,	18 to 24 in, trans.			
	2 to 3 ft. trans.	3 50	30 00	
impetata, umbrella 1766,	4 to 5 in, seed.	35	2 50	
56 68 46 55 66 46	8 to 12 in, seed.	50	3 00	
	10 to 11 it, trans.	3 00		
	ts, 12 to 18 in. trans.	7 50		
Melia Azederach, Tree of China,	1 ft. seed.	50	3 00	
florus alba, White Mulberry,	6 to 12 in. seed.	35	1 00	6
46 46 46	5 to 6 ft. trans.	2 00	15 00	
" " bus	hy, 8 to 10 ft. trans.	3 00	25 00	
" Tatarica, Russian Mulberry,	12 to 18 in. seed.	35	1 00	6
58 ° 59 66 ° 58 66	5 to 6 ft. trans,	1 50	12 00	100
66 66 66	6 to 7 ft. trans.	1 75	15 00	125
" Teas' Weeping Mulberry,	1 year heads	4 00		
legundo fraxinæfolia,-See Acer Negund	0.			
lyssa multiflora, Sour Cum or Tupelo,	2 to 3 ft. trans.	3 00		
66 66 66	4 to 5 ft. trans.	4 00		
Ostrya Virginica, Iron-wood,	2 to 3 ft, trans.	3 00		
Paulownia imperialis, Empress Tree,	3 ft, trans.	2 00	15 00	
" " "	6 to 8 ft, trans.	3 00		
Phellodendron amurense,	12 to 18 in, seed.	35	2 00	
11 11 11 11	5 to 6 ft, trans.	3 00	_ ••	
Photinia villosa,	12 to 15 in. trans.	75	6 00	50
16 16	18 to 24 in, trans.	1 00	8 00	70
16	7 to 8 ft, trans.	5 00	0.00	.0
The Photinia is being largely plan			T bres	ndsoor

\*The Photinia is being largely planted now in Park, Cemetery and Landscape work, its coral berries and the brilliant coloring of its foliage in the fall making it especially attractive.

Plat	anus occ	identalis, 🛕	m. But	tonwood,	4 to 6 ft. trans.	2 00	15 00	
6.6	orientalis,	<b>Oriental</b>	Plane,	Sycamore	2 to 3 ft. 1 year	35	2 00	15 00
5.6	41	4.6	66	46	5 to 6 ft. trans.	3 00	25 00	200 00
£ 6	4.6	86	46	46	6 to 7 ft. trans.	3 0)	27 50	230 00
64	44	66	6.6	66	8 to 9 ft. trans.	3 50	30 00	250 00
5.6	4.6	46	. 45	66	8 to 10 ft. trans.	4 00	35 00	
6.6	66	66	44	21/4 to 21/2 in	. 12 to 15 ft. trans.	30 00		

The 12 to 15 feet Planes are specimen trees, originally selected from our young blocks, and set out in wide nursery rows to allow them ample room to develop. They are extra fine, shapely specimens, and where such a tree is required for an immediate effect, in a prominent position, these trees will be found to be exactly what is required.


Popul	us alba, S	ilver Popl	ar,	4 to 5 ft. trans.	1 75	15 <b>0</b> 0
44	46		•	6 ft. trans.	2 50	20 00
6.6	Bolleana,	Pyramida	I Silver-leaved.	4 to 5 ft. trans.	2 50	20 00
66	46	"	46	5 to 6 ft, trans.	3 00	25 00
4.6	66	66	6.6	10 to 12 ft. trans.	5 00	40 00

						Per 10	Per 100	Per 1000
opi	ulus fastigia	ta, Lombar	dy Popl	ar,	2 to 3 ft. 1 year	\$ 75		
	66 66	4.5	11		3 ft. trans.	1 50		
		66	6.6		6 to 7 ft. trans.	2 50	\$20 00	
	66 66	44	6.6	heavy,	12 to 14 ft. trans.	5 00	40 00	
4	" monilife	ra, Carolina	Poplar	<b>,</b>	4 to 5 ft.	1 00	7 00	
4	16 66	4.6	- 4	heavy.	, 12 to 15 ft. trans.	5 00	40 00	
•	" Van Gee	rti, Colden-	leaved	Popla	r, 4 to 5 ft.	3 50		
tele	a trifoliata,	Hop Tree,			18 to 24 in. seed.	35	1 25	
6.6	66	"			3 to 4 ft. trans.	1 50	12 00	\$100 00
6.6	4.6	6.6			4 to 5 ft. trans.	2 00	15 00	125 00
6.6	6.6	66			5 to 8 ft. trans.	3 00	25 00	
44	" au	rea, Colden	-leaved	Hop.	12 to 18 in. trans.	1 00	8 00	
6.6		16	14	"	2 ft. trans.	1 25	10 00	
6.	4.6	16		6.6	3 to 4 ft. trans.	2 50	20 00	
ter	ostyrax his	pidum,			6 to 8 in. seed.	1 00	6 00	40 00
		Mountain	Ash.		6 to 8 ft. trans.	2 75	25 00	
"	baccata,		,	`	18 to 24 in. trans.	1 00	8 00	70 00
6.6	4.6				21/2 ft, trans.	1 25		
e 6	Bechtel's	Double F	owerin	ø.	3 ft. trans.	3 00	20 00	
6.6	"	"	16	91	3 to 4 ft. trans.	3 50	25 00	
6.6	6.6	46	4.6		4 to 5 ft. trans.	4 (0	30 00	
6.6	coronaria, 5	Sweet Scen	ted Cra	h.	2 to 21/2 ft. trans.	1 75	15 00	
4.6	44	"	"	,	3 to 4 ft. trans.	2 50	20 00	
4.6	floribunda (	red fruit),			3 to 5 ft. trans.	2 50	20 00	
8.6		arlet fruit),			4 to 6 ft. trans.	2 50	20 00	
6.6		llow fruit),			4 to 6 ft. trans.	2 50	20 00	

APParticular attention should be given by planters to the different varieties of Pyrus Malus, such as floribunda, flexilis and Toringo. These sorts produce masses of small apples not much larger than a small cherry, and their effect either in mass planting or as individual specimens is very attractive. The coronaria is the sweet-scented crab, which is now largely used in landscape planting.

Quercus	s alba, W	hite O	ak (Tru	e),	2 to 3	ft, trans.	4 00	35 00	300 00
66	64	46	46 46		3 to 4	ft. trans.	5 00	40 00	
4.6	6.6	6.6	66 66		4 to 6	ft. trans.	7 50		
44	Bannist	eri, Scru	b Oak		3 to 4:	ft, trans.	5 00		
66		Swam			9 to 10	ft. trans. 1	0 00	90 CO	
66	66	66		4.6		ft. trans. 1	2 50		
64	4.4	64	4.6	21/4 to 2	14 in. 10 to 12	ft. 1	5 00		
8.6	cerris,	Turkey (	Oak.				5 00	40 00	
6.6	6.6	"	44		6 to 7 1	t. trans.	7 50	60 00	
6.6	46	4.6	4.6		10 to 12	ft. trans. 1	2 50	100 00	
6.6	coccinea	, Scarle	t Oak		3 to 5 i	n. seed.	35	2 50	15 00
6.6	44	16	46		4 to 6 i	n. seed.	40	3 00	20 00
4.6	66	66	6.6		3 to 4 1	t. trans.	4 00	35 00	
6.6	6.6	4.6	4.6				6 00	50 00	
6.6	4.6	4.6	6.6				7 50	€0 00	
61	44	6.6	4.4				8 50	70 00	500 00
6.6	64	4.6	6.6				0 00	90 00	
6.6	6.6	6.6	5.6				2 50	100 00	
" mae	crocarna.	Mossy	Cup or	Rurr O	ak, 12 to 15		35	2 50	15 00
6.6	er .		oup or	- Will C			1 00	35 00	
6.6	44	+ 6	16	4.6			50	60 CO	
4.6	84	6.6	64	66			50		
4.6	44	44	6.6	6.6			00		
4.6	nigra. B	lack Ja	ck Oa	k			50		
46		A Post		Α,		a. seed.	35	2 50	
44	44	""	oan,		12 to 18		40	3 00	
44	66	6.6	44				50	0.00	
44	palustris	, Pin Oa	k			ir. seed.	35	2 00	10 00
44	11	, FIII 08	44			in, seed.	40	2 50	12 00
					12 10 10	m, secu,	***	2 00	12 00

					Per 10	Per 100	Per 1000
Qu	ercus palustr		ak,	$2\frac{1}{2}$ to 3 ft. trans.		\$20 00	\$150 00
	+5 66		66	4 to 5 ft. trans.	3 50	30 00	250 00
	44		44	5 to 6 ft. trans.	4 00	35 00	300 00
		•	66	6 to 7 ft. trans.	4 50	40 00	350 00
	66 66	66	**	7 to 8 ft. trans.	6 50	50 00	400 00
	••	66	44	8 to 10 ft. trans.	8 50	75 00	600 00
	**	6.6	46	10 to 12 ft. trans.	10 00	85 00	700 00
	••	66	" 1¾ to 2 in.	12 to 14 ft. trans.	12 59	100 00	
			" 2½ to 2¾ in.	12 to 14 ft. trans.	20 00	150 00	
			ned trees are want es for the trees in		pecially	mentio	ned and
	" Phellos	. Willow	leaved Oak,	4 ft. trans.	6 00	50 00	
	66 65			6 to 8 ft. trans.	1 00		
	" Prinus,	Rock Ch	nestnut Oak,	3 to 4 ft, trans.	4 00	35 00	
	44 . 44	44	46 66	4 to 5 it. trans.	6 00	50 00	
	44	86	66 - 64	5 to 6 ft. trans.	7 50	60 00	
	44 44	64	66 66	6 to 7 ft, trans.	8 50	70 00	
	46 robur, 1	English	Qak.	4 to 5 ft, trans.	6 00		
	65 66	-11911911	6	7 to 9 ft. trans.	7 50		
	" rubra,	Red Oak	<b>.</b>	4 to 6 in. seed.	35	2 50	15 00
	46 46	" "	<b>'</b> ,	4 to 5 ft, trans,	6 00	50 00	400 00
	46 66	44 44		5 to 6 ft. trans.	7 50	60 00	200 00
	44 44	66 66		6 to 7 ft. trans.	8 00	65 00	
	66 66			8 to 9 ft, trans.	8 50	75 00	600 00
	46 46	66 66		10 to 12 ft. trans.	10 00	60 00	800 00
	A Wa are	nartionlas	rly pleased with o				
	year.	particula	ny pieaseu with t	our large and line	Stock o	I Rea O	aks this
	" tinctoria	a, Black	Oak,	8 to 12 in. seed.	35	2 50	15 00
	66 66	64	66	3 to 4 ft. trans.	4 00		
	44 44	4.6	44	6 to 7 ft. trans.	7 50		
	2.5	6.6	66	9 to 10 ft. trans.	10 00		
ob	inia hispida, F	Rose Aca	acia,	12 to 18 in. trans.	2 00		
	" pseud-ac	acia, Yello	ow Locust,	1 to 2 ft. seed.	35	1 00	6 00
	66 . 66	e:	46	5 to 7 ft.	1 50		
	" viscosa,			$2\frac{1}{2}$ to 3 ft. trans.	2 50		
	66 66			4 to 6 ft. trans	3 50		
ali	sburia adiant	ifolia, Gin	gko, Maiden H	air. 6 in. seed.	35	1 50	10 00
	••	•	**	4 to 5 ft. trans.	2 50	20 00	
	66 61	•	66	5 to 6 ft. trans.	3 00	25 00	200 00
	66 61		66	6 to 7 ft. trans.	4 00	30 00	
			66	7 to 9 ft. trans.	5 00	40 00	
	4~ ms	sbury is b	ecoming more la	rgely planted. It	does no	t appea	r to be
	attacked	by caterp	illars and other in	sects, and will th	rive in ci	mes wn	ere lew
	attacked other tre	by caterp	ow.	sects, and will th	rive in c	ties who	ere 1ew
alix	attacked other tre aurea pendula	by caterp	illars and other in ow, -barked Weepi	nsects, and will th	rive in c	8 00	ere iew
66	attacked other tre aurea pendula """	by caterpees will gr	ow. -barked Weepi ''	ng, 4 to 5 ft. 6 to 8 ft. trans.	1 00 1 75	8 00 15 00	ere lew
46	attacked other tre aurea pendula "" Babylonica, W	by caterpees will gr	ow. -barked Weepi  Willow,	ing, 4 to 5 ft. 6 to 8 ft. trans. 2 to 3 ft. 2 year.	1 00 1 75 35	8 00 15 00 2 00	ere lew
66	attacked other tre aurea pendula """ Babylonica, W	l by caterpees will gr , Colden /eeping	ow. -barked Weepi Willow,	ing, 4 to 5 ft. 6 to 8 ft. trans. 2 to 3 ft. 2 year. 6 to 7 ft. 3 year	1 00 1 75 35 50	8 00 15 00	ere lew
66 66 66	attacked other tre aurea pendula "" Babylonica, W	l by caterpees will gr , Colden /eeping 	-barked Weepi "Willow,	ing, 4 to 5 ft. 6 to 8 ft. trans. 2 to 3 ft. 2 year.	1 00 1 75 35 50 2 50	8 00 15 00 2 00	ere lew
66 66 66	attacked other tree aurea pendula "Babylonica, W " Kilmarnock,	l by caterpees will gr . Colden /eeping 	bw. -barked Weepi "Willow, ""	ing, 4 to 5 ft. 6 to 8 ft. trans. 2 to 3 ft. 2 year. 6 to 7 ft. 3 year	1 00 1 75 35 50	8 00 15 00 2 00	ere iew
66 66 66 66	attacked other tre aurea pendula """ Babylonica, W "" Kilmarnock, pentandra, La	l by caterpees will grade, Golden Geoping " " urel-lea	w. -barked Weepi Willow, "	ing, 4 to 5 ft. 6 to 8 ft. trans. 2 to 3 ft. 2 year. 6 to 7 ft. 3 year 6 to 7 ft. trans.	1 00 1 75 35 50 2 50	8 00 15 00 2 00	10 00
66 66 66 66 7	attacked other tre aurea pendula """ Babylonica, W "" Kilmarnock, pentandra, La	t by caterpees will gr . Colden /eeping   aurel-lea	willow, " wed " wed "	ing, 4 to 5 ft. 6 to 8 ft. trans. 2 to 3 ft. 2 year. 6 to 7 ft. 3 year 6 to 7 ft. trans. 2 year heads.	1 00 1 75 35 50 2 50 3 50	8 00 15 00 2 00 4 00	
66 66 66 66 66 66	attacked other tre aurea pendula "" Babylonica, W "" Kilmarnock, pentandra, La	t by caterpees will gr Golden Geeping "" " " " " " " " " " " " " " " " " " "	willow,  " willow,  " wed " "	ing, 4 to 5 ft. 6 to 8 ft. trans. 2 to 3 ft. 2 year. 6 to 7 ft. 3 year 6 to 7 ft. trans. 2 year heads. 2 to 3 ft. 1 year.	1 00 1 75 35 50 2 50 3 50 35	8 00 15 00 2 00 4 00	10 00
66 66 66 66 66 66 66	attacked other tre aurea pendula "Babylonica, W "" "Kilmarnock, pentandra, La	t by caterpees will gr Golden Geeping "" "" "" "" "" "" "" ""	ved "bushy cl	ing, 4 to 5 ft. 6 to 8 ft. trans. 2 to 3 ft. 2 year. 6 to 7 ft. 3 year 6 to 7 ft. trans. 2 year heads. 2 to 3 ft. 1 year. 3 to 4 ft. 2 year.	1 00 1 75 35 50 2 50 3 50 35 50 60	8 00 15 00 2 00 4 00 1 25 2 00	10 00 12 00
66 66 66 66 66 66 66 66 66 66 66 66 66	attacked other tre aurea pendula "" Babylonica, W "" Kilmarnock, pentandra, La	by caterpess will grow Golden Geoping " " " " " " " " " " " " " "	ved "bushyel"	ing, 4 to 5 ft. 6 to 8 ft. trans. 2 to 3 ft. 2 year. 6 to 7 ft. 3 year 6 to 7 ft. trans. 2 year heads. 2 to 3 ft. 1 year. 3 to 4 ft. 2 year. 4 to 5 ft. 3 year.	1 00 1 75 35 50 2 50 3 50 35 50 60	8 00 15 00 2 00 4 00 1 25 2 00 4 00	10 00 12 00
66 66 66 66 66 66 66	attacked other tree aurea pendula " " " Babylonica, W " " Kilmarnock, pentandra, La " " " " " " " " " " " " " " " " " "	I by caterpees will gr o, Golden /eeping " " " " " " " " " "	bwbarked Weepi " Willow, " " ved " bushycl " bushycl " treelfori	ing, 4 to 5 ft. 6 to 8 ft. trans. 2 to 3 ft. 2 year. 6 to 7 ft. 3 year 6 to 7 ft. trans. 2 year heads. 2 to 3 ft. 1 year. 3 to 4 ft. 2 year. 4 to 5 ft. 3 year. umps, 4 to 5 ft. trans.	1 00 1 75 35 50 2 50 3 50 35 50 60 as. 1 25	8 00 15 00 2 00 4 00 1 25 2 00 4 00 10 00	10 00 12 00
66 66 66 66 66 66 66	attacked other tree aurea pendula " " " Babylonica, W " " Kilmarnock, pentandra, La " " " " " " " " " " " " " " " " " "	I by caterpees will gr o, Golden /eeping " " " " " " " " " "	bwbarked Weepi " Willow, " " ved " bushycl " bushycl " treelfori	ing, 4 to 5 ft. 6 to 8 ft. trans. 2 to 3 ft. 2 year. 6 to 7 ft. 3 year 6 to 7 ft. trans. 2 year heads. 2 to 3 ft. 1 year. 3 to 4 ft. 2 year. 4 to 5 ft. 3 year. umps, 4 to 5 ft. trans.	1 00 1 75 35 50 2 50 3 50 3 5 50 60 as. 1 25 1 50	8 00 15 00 2 00 4 00 1 25 2 00 4 00 10 00 12 00	10 00 12 00
55 55 55 56 56 66 65 66 66	attacked other tree aurea pendula " " " Babylonica, W " " Kilmarnock, pentandra, La " " " " " " " " " " " " " " " " " "	I by caterpees will gr o, Golden /eeping " " " " " " " " " "	ved "bushyel"	ing, 4 to 5 ft. 6 to 8 ft. trans. 2 to 3 ft. 2 year. 6 to 7 ft. 3 year 6 to 7 ft. trans. 2 year heads. 2 to 3 ft. 1 year. 3 to 4 ft. 2 year. 4 to 5 ft. 3 year tumps, 4 to 5 ft. trans. m, 6 ft. trans.	1 00 1 75 35 50 2 50 3 50 35 50 60 as. 1 25 1 50 1 75	8 00 15 00 2 00 4 00 1 25 2 00 4 00 10 00 12 00 15 00	10 00 12 00
66 66 66 66 66 66	attacked other tree aurea pendula ""  Babylonica, W  ""  Kilmarnock, pentandra, La  ""  ""  regalis (alba), Sieboldi,	by caterpees will grow, Golden Geeping " " " " " " " " " " White-I	bwbarked Weepi " Willow, " " ved " bushycl " bushycl " treelfori	ing, 4 to 5 ft. 6 to 8 ft. trans. 2 to 3 ft. 2 year. 6 to 7 ft. 3 year 6 to 7 ft. trans. 2 year heads. 2 to 3 ft. 1 year. 3 to 4 ft. 2 year. 4 to 5 ft. 3 year. tumps, 4 to 5 ft. trans. m, 6 ft. trans. 2 to 3 ft. 2 year. 2 to 2 ft. 3 year.	1 00 1 75 35 50 2 50 3 50 35 50 60 8.1 25 1 50 1 75 1 50	8 00 15 00 2 00 4 00 1 25 2 00 4 00 10 00 12 00 15 00	10 00 12 00



AVENUE OF PIN OAKS IN FAIRMOUNT PARK, PHILADELPHIA, PLANTED IN 1876. THIS IS CONSIDERED ONE OF THE FINEST AVENUES IN THE PARK.

					Per 10	Per 100	Per 1000
Salix	Britzensis, Re	d-barked Willow	w.	2 to 21/2 ft. 2 year.	\$ 35	\$2 00	
6.	44	0	,	4 to 5 ft. trans.	1 75	15 00	
Sass	afrasofficina	le, see Laurus Sas	safra	<b>3.</b>			
Soph	ora Japonica			5 to 6 in, seed.	50	3 00	\$15 00
66	66			1 ft. trans.	1 75	15 00	
Taxo	dium distichi	um, Deciduous C	voress	8 to 12 in seed.	3 <b>5</b>	2 00	15 00
	Americana,	American L			1 25		
66	66	66	66	7 to 9 ft. trans.	3 00		
8.6	Europæa, Eur	opean Linden,		6 to 7 ft. trans.	3 00	25 00	
84	platyphylla, E	u. Broad-leaved		7 to 8 ft. trans.	3 00	25 00	
6.6	argentea, Wh	ite-leaved Lind	en.	8 to 9 ft. trans.	5 00	40 00	
Ulmu	s Americana,	America	n Elm.	12 to 18 in. seed.	25	1 00	5 00
66	16	411101104	66	1 to 2 ft. seed.	35	1 50	6 00
6.6	86	4.6	64	4 to 5 ft. trans.	1 50	12 00	100 00
44	66	44	46 -	6 to 7 ft. trans.	1 75	15 00	125 00
et	44	44	6.5	7 to 8 ft. trans.	2 00	18 00	150 00
6.6	66 .	66	66	9 to 10 ft. trans.	3 00	25 00	200 00
6.6	44	66	44	10 to 12 ft. trans.	3 50	30 00	
6.6	Camperdown	Weening.		strong l year head	5 00		
46	Campestris,		66	2 to 3 ft. trans.	1 75	15 00	
6.6	11	-11911311		4 to 5 ft. trans.	2 50	20 00	
66	46	66	4.6	7 to 8 ft. trans.	3 00		
66	Huntingdon,			7 to 9 ft. trans.	3 50		
33		urple-leaved	66	7 to 9 ft. trans.	3 50		
66	latifolia, Sco		66	18 to 24 in. trans.	1 00	8 00	
66	racemosus, C		- 66	2 to 3 ft, trans.	2 00	15 00	
7 ant		eritum, Prickly Asl	h	3 ft. trans.	2 50	20 00	
Lant	HOXJION PIPE	ATOME, FIICKLY ASI	19	o io, tians.	2 00	25 00	

### WEEPING TREES.

	Per 10	Per 100	Per 1000
Acer Weirii, Weir's Cut-leaved Maple, 7 to 8 ft. trans.	<b>\$</b> 3 50	\$30 00	
" " specimens, 12 ft. trans.	15 00		
Betula alba paciniata, Cut-leaved, 6 to 7 ft. trans.	7 00		
Cerasus rosea pendula, Weeping Flowering Cherry, 6 ft. 1 yr. hds.	7 50		
Cornus florida pendula, Weeping Dogwood, 2 to 3 ft. trans.	3 50	30 00√	
" " 4 to 5 ft.	5 00		
Fraxinus pendula, Weeping Ash, 6 to 7 ft. trans.	<b>2</b> 50		
Morus, Tea's Weeping Mulberry, 1 yr. head	4 00		
Salix Babylonica, Babylonian Willow, 6 to 7 ft. trans.	2 59		
" Kilmarnock, 2 yr. heads	3 50		
Ulmus camperdown, strong 1 yr. heads	5 00		

### DECIDUOUS SHRUBS.

- "Trans." indicates that the plant has been once or more transplanted.
- "Seed." that it is still in seedling beds, not transplanted.
- "Cut." that it is a rooted cutting, not transplanted,

			I	Per 10	Per 100	Per 1000
Amelanchier	alnifolia nana,	Dwf. June	berry, 12 to 18 in. trans.	1 50	12 00	
46	botryapium,		12 to 18 in. trans.	1 50		
44	vulgaris,		12 to 18 in, trans.	1 50	12 00	
46 .	rotundifolia,		18 to 24 in. trans.	1 75	15-00	
£6 ,	86		2 to 2½ ft. trans.	2 50	20 00	

		Per 10	Per 100	Per 1000
Amorpha canescens, Indigo Shrub,	1 foot trans.	\$1 00	\$8 00	
44 44 44 44	18 in. trans.	1 25	10 00	
frutico3a,	6 to 8 in. seed.	35	1 00	87 CO
44 44	2 to 3 ft. seed.	50	3 00	
46 45	4 to 5 ft. trans.	1 50	12 00	100 00
56 41	5 to 6 ft. trans.	1 75	15 00	
Amygdalus nana, white, Flowering Almor	d, 2 ft. trans.	1 50		
" pink, " "	2 ft. trans.	1 50		
Andromeda ligustrina,	2 to 21/2 ft trans.	2 50	20 00	
" Mariana,	12 to 18 in. trans.	1 75	15 00	
racemosa,	1 ft. trans.	1 75		
Aralia. See Tree Section.				
Baccharis halimifolia,	2 ft. trans.	1 00	8 <b>0</b> 0	
66 66	$2\frac{1}{2}$ to 3 ft. trans.	1 25	10 00	
Berberis concinnum,	2 ft. trans.	1 50		
" Thunbergii, Japanese Barberry,	10 to 12 in. trans.	1 00	9 00	80 00
44 44 44	12 to 15 in. trans.	1 25	10 00	90 00
44 61 65 46	2 to $2\frac{1}{2}$ ft. trans.	1 50	12 00	
" vulgaris, Creen Barberry,	6 to 10 in. seed.	35	1 50	10 00
46 46 46 46	10 to 12 in. trans.	60	5 00	40 CO
40 41 16 11	12 to 18 in. trans.	75	6 00	
46 46 45 66	18 to 24 in. trans.	85	7 00	
46 66 66	2 ft. trans.	1 00	9 00	
" purpurea, Purple-leaved,	1 ft. trans.	85	7 00	
86 66 66	18 to 24 in. trans.	1 00	9 00	
Buddleia variabilis,	$2\frac{1}{2}$ to 3 ft. trans.	1 25	10 00	
46 66	5 ft. trans.	2 00		
Callicarpa Japonica,	2 ft. trans.	1 25		
Calycanthus floridus, Sweet Shrub,	12 to 18 in. trans.	75	6 00	
46 66 66	1 to 2 ft. trans.	85	7 00	
66 66 65 65	2 ft. trans.	1 00	9 00	
Caragana arborescens, Siberian Pea,	2 to 3 ft. seed.	35	2 00	
66 6, 68	2 to 2½ ft. trans.	1 75	10 00	80 00
46 44 66 66	$2\frac{1}{2}$ to 3 ft. trans.	1 50	12 00	100 00
Caryopteris Mastacanthus, "Blue Spiræa,	" 18 to 24 in. trans.	1 00	9 00	80 00

43 This is not a Spiræa, though it has been given this common name. It produces great masses of blue flowers, commencing in early September and continuing until the middle of October. It is one of the very few fall-blooming shrubs of merit. While it makes a good appearance planted as a single shrub, it is particularly striking when set in beds or masses.

Cassia Marilan	dica, Wild	Senna	12 to 18 in. seed.		50	3 00	
66 66	6	6	4 to 5 ft, trans.	1	25		
Ceanothus An	nericanus, 🏲	lew Je	sey Tea. 1 ft. trans.	1	00	8 00	
4.6	66	6.6	" 12 to 18 in. trans.	1	25	10 00	
44	64	4.6	"heavy, 18 to 24 in. trans	. 1	50	12 00	
46	6.6	6.6	"heavy, 2ft. trans.	1	75	<b>1</b> 5 <b>0</b> 0	
Cephalanthu	s occidental	is, Dwf.	Button bush, 6 to 10 in. see	ed.	35	2 00	
44	64	6.6	" 2½ ft. trans.		25	10 00	
44	14	6.4	" 4 ft. trans.	1	50	12 00	
66	8.6	4.0	"heavy, 4 to 41/2 ft. tra	ans. 2	50	20 00	
Cercis Japonica	and Canade	nsis, see	Trees.				
Chionanthus	Virginica,	White	Fringe. 3 to 4 in. seed.		25	1 00	8 00
44	64	4.6	12 to 15 in. trans.		65	4 00	40 00
-44	44	4.6	" 12 to 18 in. trans.		75	6 00	50 00
44	64	4.6	" 2 to 21/2 ft. trans.	. 1	50	12 00	
46	44	6.6	" 3 to 4 ft. trans.	2	00	15 00	
.44	6.6	6.6	" specimens, 4 to 5 ft. trans.	10	00		

The specimen plants are very heavy and bushy. They have been planted far apart in the nursery rows, and every care exercised to make fine selected and bushy specimens that will create an immediate effect when planted in permanent positions. For use in landscape work, where individual specimens are required, these plants will be found very effective.

						Per 100	Per 1000
Clethra	a alnifolia, S	weet Peppe	er Bush,	12 to 18 in. trans.	\$1 25	\$10 00	\$80 00
	66		**	18 to 24 in. trans.	1 50	12 00	15 00
Colute	a arborescen	8,		8 to 12 in, seed.	50	3 00 10 00	19 00
				3 to 4 ft. seed.	1 25 1 50	12 00	
compt	onia aspieni	folia, Sweet	Fern, neavy	2 ft. trans.	1 60	9 00	
corenc	rus Japonie	Double.		2 to 3 ft, trans.	1 00	9 00	
44	64	variegata,		1 ft. trans.	1 00	5 00	
_			boowso	18 to 24 in. trans.	85	7 00	60 00
ornus	44 ROU-	twigged D	ogwood,	2 ft, trans.	00	9 00	
14	61	6.6	44	2 to 2½ ft. trans.	1 25	10 00	
45	alternifolia,	Riue	6.6	18 to 24 in. trans.	85	7 00	
66	66	"	66	3 to 4 ft. trans.	1 25		
64	glabrata,			ft, trans.	1 50		
66	-	elian Cher	rv	18 to 24 in, trans.	85	7 00	60 <b>0</b> 6
46		" "	71	2 ft. trans.	90	8 00	
66	66	66 66		2 to $2\frac{1}{2}$ ft. trans.	1 00	9 00	
4.6	44	66 64		3½ to 4 ft, trans.	1 50	12 00	
66	paniculata,			18 to 24 in. trans.	1 50	12 00	
6.6	66			2½ to 3 ft. trans.	1 75		
66	sanguinea.F	nglish Doe	wood.bush	y, 3 to 4 ft. trans.	1 00	9 60	80 0
54		"	" heav	y, 4 to 5 ft. trans.	1 50	12 00	
6.6	sericea, Sill	kv	46	3 to 31/2 ft. trans.	1 25	10 00	
6.6	" "	,	" heav	y, 4 ft. trans.	1 75		
46	stolonifera l	utea, Yellow-k		1 ft. 1 year,	75	5 00	42 0
orvius		American		6 to 12 in. seed.	35	2 00	12 0
"	46	46	44	18 to 24 in. trans.	1 25		
6.6	4.6	44	66	2 to 2½ ft.	1 50	12 00	
6.6	avellena, E	uropean Ha	azel.	2 to $2\frac{1}{2}$ ft. trans.	1 00	8 00	
8.6	* 66	66	11	3 ft. trans.	1 25	10 00	
*4	purpurea, F	urple-leav	ed.	2 to 21/2 ft. trans.	2 50		
6.6	Filberts,	Named variet	ies,	5 to 7 ft. trans.	1 75	15 00	
cratæg		White Th		8 to 12 in. seed.	50	3 00	20 0
66	"	44		2 to $2\frac{1}{2}$ ft. trans.	1 25	10 00	
64	6.6	46	4.6	$2\frac{1}{2}$ to 3 ft. trans.	1 50	12 <b>C</b> 0	
6.6	16	46	44	3 to 4 ft, trans.	2 50	15 00	100 0
4.6	66	4.6	6.6	4 to 5 ft, trans.	3 50	<b>30</b> 00	
4.6	**	66	46	5 to 6 ft. trans.	4 00		
44	cordata, W	ashington	Thorn,	2 to 3 ft. trans.	3 00	<b>25</b> 00	
16	6.6	66	. 66	3 to 4 ft. trans.	4 00	35 00	
44	66	. 46	44	4 to 5 ft. trans.	5 00		
46	crus-galli, C	ockspur T	horn,	8 to 12 in. seed.	50	3 00	15 0
46	46	44	46	12 to 18 in, seed.	60	4 00	
46	6.6	**	66	12 to 18 in, trans.	1 00	8 00	70 0
44	66	64 66	66	2 to 2½ ft. trans.	1 25	10 00	90 (
46	44	66	ii hoan	2½ to 3 ft. trans.	1 50	12 00	100 (
46	**		пежу	y, 3 to 4 ft. trans.	2 50	20 00	
46	66	66		y, 4 to 5 ft. trans.	3 00	25 00	
66				y, 5 to 6 ft. trans.	4 00	35 00	
45	oxycantha,	English Ha	wthorn,	18 to 24 in. trans.	85	7 00	60 (
66	46		66	2 to 2½ ft. trans.	1 00	8 00	00.4
66	44	66	46	2 to 3 ft. trans.	1 25	10 00	80 (
46			**	3 to 4 ft. trans.	1 50	12 00	
46	Double Whi	,		3 to 4 ft. trans.	3 50		
66	1 1111	,		3 to 4 ft. trans.	3 50		
**	" Pau	l's Scarlet,		3 to 4 ft. trans.	<b>3</b> 50		

EFIt is not generally known that the Cockspur Thorn makes an excellent and impenetrable hedge, on account of its long, sharp thorns. It transplants easily, is perfectly hardy everywhere, and will stand shearing.

			Per 10	Per 100	Per 1000
Cytissus Laburnum,	Laburnum,	3 to 31/2 ft. trans.		\$8 00	
46 46	44	4 to 5 ft. trans.	1 25	10 00	
Daphne Mezereon,		12 to 18 in. trans.	1 50	12 00	
Deutzia candida plen		18 to 24 in. trans.	85	7 00	
" candidissima		18 to 24 in. trans.	85	7 00	\$60 00
65 66	44	2½ to 3 ft. trans.	1 00	8 00	
66 66	4.6	4 ft. trans.	1 25		
" crenata, Wh		heavy, 4 ft. trans.	1 25	10 00	
	ble White,	2 to $2\frac{1}{2}$ ft. trans.	1 00	8 00	
64 66	4.6	3 to 4 ft. trans.	1 25	10 00	
	ble Pink,	18 to 24 in. trans.	85	7 00	
55 66	44	$2\frac{1}{2}$ to 3 ft. trans.	1 00	8 00	
66 66	44	heavy, 4 ft. trans.	1 25		
Fortuni, W	hite,	2 ft. trans.	85	7 00	
16 11		heavy, 3 to 31/2 ft. trans.	1 25	10 00	
" gracilis, Wh	nite,	10 to 12 in. trans.	75	5 00	
44 **		18 to 24 in, trans.	85	7 00	
" Lemoinei, V		1 ft. trans.	1 00	8 00	
	chester, Double Pink	, 18 in. trans.	85	7 00	
" scabra, Sing	gle White,	2 ft. trans.	85	7 00	
66 64		3½ to 4 ft. trans.	1 25	10 00	
" Sieboldi, W		2⅓ ft. trans.	1 25		
	gle White, heavy,	3 to 4 ft. trans.	1 25	10 00	
" Wellsii,		2 to 21/2 ft. trans.	1 00	8 00	
Diervilla sessilifolia,		18 to 24 in. trans.	1 00	9 00	
Eleagnus angustifoli		12 to 18 in, trans.	1 00	8 00	
11 11	44	2 to $2\frac{1}{2}$ ft. trans.	1 25	10 00	
" longipes,		1 ft. trans.	1 00		
	, Silver Thorn, he		1 50	12 00	100 00
" umbellatus	s, female,	heavy, 5 to 7 ft. trans.	1 50		

The Eleagnus parvifolius is one of the few really good and useful shrubs that have been slighted by planters. It is of strong habit, rather dense growth, and is quite hardy. The foliage on the upper surface is of light-green color, but on the underside it is silvery. It produces enormous quantities of red berries speckled with silver. It makes an excellent hedge plant.

Euony	mus Americanu	ıs, Am. E	Burning	g Bus	h. 18 in. trans.	1 25		
11	Bungeanus,				4 to 5 ft.	2 00		
6.6	Europæus,	Europe	an "	6.6	5 to 6 in. seed.	25	1 00	8 00
6.6	66	66	46	44	12 to 18 in. seed.	35	1 50	
66	44	6.6	44	44	2 to 3 ft. trans.	85	7 00	
46	66	5.6	44 .	44	3 to 4 ft. trans.	1 25	10 00	
Exoch	orda grandiflora	Pearl	Bush.		18 to 24 in. trans.	1 25	10 00	
16	46	44	66		3 to 4 ft. trans.	2 00	18 00	
Forsyt	hea Fortuni,				2 ft. trans.	85	7 00	
,,	66				2 to 21/2 ft. trans.	90	8 00	
44	6.6				3 to 31/2 ft. trans.	1 00	9 00	
	6.6				3 to 4 ft. trans.	1 25		
8.6	suspensa,				2 to 21/2 ft. trans.	90	8 00	
6.6	Viridissima	Colde	n Bell.		2 to 3 ft. trans.	90	8 00	
6.6	- 66	variegat			2 to 3 ft. trans.	1 00		
Cenist	a scoparia, Sco	tch Bro	om, fro	m pots,	3 ft. trans.	2 50		
	a diptera,		,	-	8 to 12 in. seed.	35	2 00	
11	tetraptera, Silv	er Bell.			4 to 5 ft. trans.	1 25	10 00	80 00
6.6	66 66	11		heavy	5 to 6 ft. trans.	1 50	12 00	100 00
44	11 11	4.6		44	6 to 8 ft. trans.	1 75	15 00	

<sup>\*\*</sup>The Halesia tetraptera is one of the best of large-growing shrubs, attaining a height when fully matured of perhaps 20 feet. Its great profusion of creamy white flowers in early spring, while striking are not out of place where natural plantings are needed.

						Per 10	Per 100	Per 1000
Hamame	elis Vir	ginica,	Wych-ha:	zel.	12 to 15 in, trans.	\$1 25	\$10 00	
46		44	66 6	4	18 to 24 in. trans.	1 50	12 00	
1.5		4.6	48 61	he	avy, 4 to 5 ft. trans.	2 00		
Hibiscus	Double	Red,	Althæa.		2 to 2½ ft. trans.	1 00	8 00	
66		Lilac,			2 ft. trans.	1 00	8 00	
4.6	86	White	) <u>.</u>		21/2 to 3 ft. trans.	1 00	8 00	
4.6	Single	Pink.	•		18 to 24 in, trans.	1 00		
66	-		riegated-leave	ed Altha	ea, 1 ft. trans.	1 00	8 00	
16	-		ingle White,		2 ft. trans.	1 25	10 00	
Hippoph			s, Sea Buc		n. 2 to 21/2 ft. trans.	1 25	10 00	
		64	44	66	3 ft, trans.	1 50		
Hydrang	ea arbo	rescen	5		2 ft. trans.	1 25		
"	-	46	,	he	avy, 21/2 to 3 ft, trans.	1 50		
66	panici	ulata, s	ingle.		3 to 4 ft. trans.	1 50	12 00	
66			grandiflora.		12 to 18 in, tran	75	6 00	\$50 00
66	4	14	61		18 to 24 in. trans.	85	7 00	60 00
6.6		16	46		2 to 21/2 ft, trans.	1 00	9 00	80 00
66	radia	ta.	44		2 to 21/2 ft. trans.	1 25	10 00	
Hypericu	m aurei	am.			18 to 24 in. trans.		9 00	
"		ficum,			3 to 4 ft. trans.	1 50	12 00	
Laurus B			e-bush		18 in. trans.	85		
"	46	Op.o.	"		2 to 3 ft. trans.	1 00	8 00	
**	66		44		3 to 4 ft, trans.	1 50	12 00	
**	2.2		66		4 to 5 ft. trans.	1 75	15 00	
64	44		66	specim	ens, 5 ft. trans.	10 00		
					,			

The 5-feet specimen plants are large, heavy shrubs. They were transplanted three years ago and given ample room to develop. These specimen shrubs will be found most useful where an individual plant is required to create an immediate effect, and scarcely any shrub can be used for as many purposes as the Spice Bush.

Ligustrum Ibota (True)	18 to 24 in. trans.	75	6 00	
66 66 66	2 to 2½ ft. trans.	90	8 00	70 00
46 46 46	3 ft, trans.	1 25	10 00	
" ovalifolium, California Privet,	1 to 2 ft. cut.	35	2 00	15 00
22 24 44 52	2 to 21/2 ft. trans.	50	3 00	20 00
46 46 - 66 46	21/2 to 3 ft. trans.	75	5 00	40 00
" Regelianum, " "	12 to 15 in. trans.	75	6 00	
" vulgare, Common Privet,	18 to 24 in. cut.	50	3 00	20 00
66 66 66	18 to 24 in. trans.	1 00		
Lonicera fragrantissima, Bush Honeysuck	(le 1 ft. trans.	50	4 00	
" tartarica alba, White-berried,	18 to 24 in, trans.	90	8 00	
" red-berried,	21/2 ft. trans.	1 00		
" yellow-berried,	1 to 2 ft. trans.	1 00		
" grandiflora, Pink-flw'rd,	18 to 24 in. trans.	90	8 00	
- 66 46 66 58	2 to 21/2 ft. trans.	1 25	10 00	
66 46 46 46	3 ft. trans.	1 50		
" Morrowi, "	3 to 31/2 ft. trans.	1 50		
" Orientale, "	2 to 2½ ft. trans.	1 00		
" Sibirica, " "	2 to 3 ft. trans.	1 00		
Paliurus aculeatus, " "	8 to 15 in. seed.	1 50	10 00	
Philadelphus aureus, Colden-leaved,	1 ft. trans.	90	8 00	
" coronarius, Mock Orange,	2 ft. trans.	90		
" "	4 ft. trans.	1 25		
" grandiflorus, large-flowered,	$2$ to $2\frac{1}{2}$ ft. trans.	90	8 00	
66 65	3 ft. trans.	1 00	9 00	
" Lemoinei,	2 ft. trans.	1 00	9 00	
" nanus, Dwarf,	18 in. bushy	90	8 00	
specissima,	18 to 24 in. trans.	90		
Potentilla fruticosa, Shrubby Cinquefoil,	12 to 18 in. trans.	1 25		
Prinos glaber, Ink-berry,	1 ft. trans.	1 25		
" verticillata,	2 ft. trans.	1 50		

		Per 10	Per 100	Per 1000
Prunus maritima, Beach Plum.	2 to 21/2 ft. trans.	\$1 25	\$10 00	
16 16 16 15	3 to 31/2 ft, trans.	1 50	12 00	
" Americanus, " "	18 to 24 in, seed.	85	6 00	
" Pissardi, Purple-leaved Plum,	3 to 3½ ft.	. 1 50	12 00	
Pyrus arbutifolia, Choke-berry, bushy,	18 to 24 in. trans.	1 50	12 00	
11 11 11	2 to 21/2 ft. trans.	1 75	15 00	
56 66 66 .	3 ft. trans.	2 00	18 00	
" melanocarpa, Red Choke-berry,	2 to 21/2 ft, trans.	1 75	15 00	
" Japonica Red, (Cydonia) Fire-bush,	1½ to 2 ft. trans.	1 00	8 00	
Rhamnus Caroliniana, Carolina Buckthor		1 50	0 00	
" catharticus, Common Buckthorn,	5 to 6 in. seed.	35	1 25	\$8 00
11 11	2 to 3 ft. trans.	85	00	• • • • • • • • • • • • • • • • • • • •
15 44	4 to 5 ft. trans.	1 25	10 00	
" frangula,	2½ to 3 ft. trans.	1 25	10 00	
Rhodotypus kerrioides,	8 to 12 in, seed.	35	1 00	8 00
" "	12 to 18 in, seed.	40	2 00	10 00
16 66	18 to 24 in, seed.	50	3 00	15 00
fi heavy	, 3 to 4 ft, trans.	1 25	10 00	90 00
extra heavy	•	1 75	15 00	00 00
Rhus aromatica, Sweet Sumach, bushy,	,	1 25	10 60	90 00
,,	18 to 24 in. trans.	1 50	12 00	00 00
11 11 11	2 to 21/4 ft. trans.	1 75	15 00	
" " heavy	3 to 4 ft. trans.	3 00	25 00	
**	18 to 24 in, trans.	75	6 00	
" " " "	2 to 21/4 ft. trans.	85	7 00	
86 66 66 66	2½ to 3 ft. trans.	1 00	9 00	
66 65 66 65	3 to 3½ ft, trans.	1 25	10 00	
ii ii ii heavy	5 to 6 ft. trans.	1 50	10 00	
and the same of th	12 to 18 in. trans.	1 00	8 00	
" " " "	2 to 3 ft. trans.	1 25	9 00	
" laciniata, Cut-leaved,	12 to 18 in, trans.	1 50	12 00	
" typhina, Stag's Horn,	4 to 5 ft. trans.	1 25	9 00	
" " very heavy clumps,		5 00	0 00	
	18 to 24 in. trans.	1 00	8 v0	
" " " "	2 to 3 ft. trans.	1 25	10 00	
" Cynosbati, bushy,	12 to 18 in, trans.	1 50	20 00	
" floridum, Missourl Black,	3 ft, trans.	1 25	10 00	
" heavy,	4 to 5 ft, trans.	1 50	10 00	
" Gordonianum, Pink-flowering,	2 ft. trans.	1 00		
	12 to 18 in, trans.	85	7 00	
	18 to 24 in. trans.	90	8 00	
68 66	2 to 2½ ft, trans.	1 00	9 00	
" Carolina,	3 ft. trans.	1 25	10 00	
" lucida alba,	1 ft. trans. bushy	2 50	20 00	
	z orwins, bushy	200	2000	

\*The Rosa lucida alba is a new and rare plant and will be found very useful and desirable by landscape engineers and superintendents of cemeteries. It has the same habit of growth as the lucida, and can be used in similar positions. We guarantee our stock true to name and first-class in every particular.

6.6	multiflor	a Japonic	a,		2 to 21/4 ft. trans.	90	8	00	70 00
4.6	4.6	6.6			3 ft. trans.	1 00	9	00	
46	rubrifolia	, Purple	e-leave	d,	12 to 18 in. trans.	1 50			
8.6	rugosa	Red, J	apanes	e Rose,	6 to 10 in. seed.	35	2	00	12 00
56	-"	66	45	4.6	2 to 3 ft., 2 yr. seed.	40	3	00	15 00
6.6	46	46	66	66	18 to 24 in. trans.	1 00	8	00	70 00
66	44	64	1 44	66	. 2 to 21/2 ft. trans.	1 25	10	00	
66	44	White,			18 to 24 in, trans,	1 00			
6.6	setigera,	Prairie	Rose,		12 to 18 in. seed.	25	1	75	12 00
6.6	4.6	86	44		2 to 21/4 ft. trans.	1 00	8	00	70 00
4.6	4.6	44	66		3 ft. trans.	1 25	10	CO	90 00
44	66	66	44		heavy, 4 to 5 ft. trans.	1 75	15	00	
44	Wichuari	iana, Mei	morial	Rose.	2 to 3 ft, trans.	1 00	8	00	

#### OUT-OF-DOOR POT-GROWN ROSES.

	OUT-OF-DOOR	POT-G	ROWN ROSES.			
		,		Per 10	Per 100	Per 1000
Rose,	Baltimore Belle, White Climbing,		from 5 in. pots	\$2 50		
	Crimson Rambler,		from 5 in. pots	2 50		
\$4	Evergreen Gem, White (Hybrid W			s 2 50		
4.6	Jersey Beauty, White (Hybrid Wie	chuarian	na) from 4 in, pots	2 50		
8.6	Md. Plantier, White,	•	from 5 in, pots	2 50		
8.6	Pink Roamer (Hybrid Wichuarian	a)	from 5 in. pots	2 50		
46	Prairie Queen, Pink, Climbing,		from 5 in. pots	2 50		
44	Universal Favorite, White (Hybrid	Wichua	iriana), from 5 in. po	ots 2 50		
Rubus	s odoratus, Flowering Raspbe	erry, he	eavy, 4 to 5 ft. trans	. 1 50		
Samb	ucus aureus, Colden-leaved.		2 to 3 ft.	1 00	\$8 00	
	" Canadensis, Elderi	errv.	2½ to 3 ft.	75	6 00	\$50 00
			3 to 4 ft.	1 00	8 00	
1	" nigra, European "	6	3 to 31/2 ft. trans.	1 00	8 00	
4	s	' heavy,	4 to 5 ft. trans.	1 50	12 00	
1	" laciniatus, Cut-lea	aved.	2 to 3 ft. trans.	1 25	10 00	
1	" racemosus, Red-berried		3 to 4 ft. trans.	1 25	10 00	
Spiræ	a Anthony Waterer, Pink,		8 in. trans.	1 00	9 00	
Opii w	66 66 66		2 ft, trans.	1 75	15 00	
8.6	arguta, White,		12 to 15 in. trans.	1 00	8 00	
65	66 66	heavy	, 2 to 21/2 ft. trans.	1 25	10 00	
4.6	66 46		3 to 31/2 ft. trans.	1 50	12 00	
66	Billardi, Pink,		2 to 2½ ft. trans.	1 00	8 00	
66	Bumalda "		2 to 21/2 ft. trans.	1 00	9 00	
3.2	callosa, pink,		18 in. trans.	85	7 00	
gi	" alba, White,		8 in. trans.	85	7 00	
*6	" superba, Light-pink,		2 to 2½ ft. trans.	1 00	8 60	
66	carpinæfolia, White,		2 to $2\frac{1}{2}$ ft. trans.	1 00	8 00	
6.6	.46 46	heavy,		1 25	10 00	
44	Douglassi rosea, Pink,		1 to 2 ft. trans.	1 00	8 00	
8.6	opulifolia, White,		$2 \text{ to } 2\frac{1}{2} \text{ ft. trans.}$	85	7 00	
66	66 66		21/2 to 3 ft. trans.	1 00	8 00	
66	16 46	heavy,		1 50		
44	" aurea, Golden-leaved,		2 to 2½ ft. trans.	1 00	8 00	
		heavy,		1 50		
66	Reevesii, Single White,		2 ft. trans.	85	7 00	
66	45 46 47		2½ ft. trans.	1 00	8 00	
44	" Double White.	heavy,		1 50 85		
44	Double white,	hoorer	18 in. trans.			
"	Regeliana, Deep-pink,	heavy,	3 to 4 ft. trans. 4 to 5 ft. trans.	1 50 1 00	8 00	
66	salicifolia, White,		4 to 5 ft, trans.	1 00	8 00	
66	sorbifolia, White,	heavy,		1 25	10 00	
66	Thunbergii, White,	nearj,	1 ft. trans.	85	7 00	
66	tomentosa, Pink,		18 in. trans.	85	7 00	
44	Van Houtti, White,		2 ft. trans.	90	8 00	
6.6	15 . 16		2½ ft. trans.	1 00	9 00	
66	46 46		2½ to 3 ft. trans.	1 25	10 00	
Stank	nylea Bumalda,		3 ft.	1 50		
Stapi	colchica,		6 to 10 in. trans.	1 25	10 00	
44			2 to 3 ft, trans.	1 50	10 00	
e	1 65	heavy	4 to 5 ft. trans.	2 00		
66	trifoliata,	,	3 to 4 ft, trans.	1 25	10 00	
			4 to 5 ft.	1 50	12 00	
Stonk	anandra flavnosa		1 ft. trans.	90	8 00	
Steph	nanandra flexuosa,		2 to 2½ ft. trans.	1 25	10 00	
0	haulanunga masuusuus 1861 1	0				
Symp	horicarpos racemosus, White	Snow			8 00	
		66	2 to 3 ft, trans. 18 in, trans.	1 00 90	8 00	
	" vulgaris, Red		avy, 2 to 2½ ft. tran		10 00	
		пе	ary, 2 to 272 It. tran	10, 1 20	10 00	

						Per 10	Per 100	Per 1000
Syringa	Persica,	Red Persia	an Lilac,		2 to 2½ ft. trans.	\$1 00	\$9 00	
	6.6	alba, White	Persiar	١,	2 ft. trans.	1 25	10 00	
5.6	Emodi,				2 to 21/2 ft, trans.	2 50		
48	Josekæ,				2 to 21/2 ft. trans.	2 50		
66	vulgaris,	Common	Purple L	-ilac	. 1 to 2 ft. trans.	85	7 00	
66	66	45	46	heav	y, 2 to 3 ft. trans.	1 25	10 00	
44	5.6	44	64	**	3 to 4 ft. trans.	1 75	15 00	
44	" alb	a, Commor	White	ilac	, 12 to 18 in. trans.	85	7 00	
66	66 66	44	6.6	6.6	1 to 2 ft. trans.	90	8 00	
61.	66 66	6.6	66	44	18 to 24 in. trans.	1 00	9 00	
66	46 66	44	44	. 66	$2$ to $2\frac{1}{2}$ ft. trans.	1 25	10 00	

#### NEW FRENCH LILACS.

Syring	a Frau Dammann, single white,	3 to 4 ft. trans.	2 50
"	Ludwig Spaeth, purplish red, .	3 to 4 ft. trans.	2 50
8.6	Pres. Grevy, double blue,	3 to 4 ft. trans.	2 50
6.6	Senator Volland, single rosy red;	3 to 4 ft. trans.	2 50
6.6	Belle de Nancy, double rose,	3 to 4 ft. trans.	3 00
66	Mme. Abel Chatney, double white.	3 to 4 ft. trans.	3.00

\*The above list comprise nearly all of the best varieties of New French Lilacs.

Tama	rix Africana,	2 to 3 ft. trans.		90	8 00	
4.6	46	4 to 6 ft. trans.	1	25	·10 00	
8.5	Gallica,	2 to 3 ft. trans.		90	8 00	
£ a	Indica,	3 to 4 ft. trans.		90	8 00	
2.8	Japonica plumosa,	2 to 3 ft. trans.		90	8 00	
44	Odessana,	2½ to 3 ft. trans.	1	00	9 00	
4.5	tetrandra purpurea,	18 in. trans.		90	8 00	
Vacci	nium corymbosum,	heavy, 2 to 3 ft. trans.	4	00		
Viburi	num acerifolium,	1 to 2 ft. trans.	1	25	10 00	
6.6	dentatum,	4 to 6 in. seed.		35	1 50	\$10 00
65	66	8 to 12 in. trans.	1	00	8 00	
44	66	eavy, 2 to 21/2 ft. trans.	1	50	12 00	
46	66	5 ft. trans.	2	00	15 00	
66	46	heavy clumps, 5 to 6 ft. trans.	3 8	50	30 00	
4.6	Japonicum (Sieboldianum	1), 8 to 12 in. trans.	1	25	10 00	90 00
6.6	46 46	18 to 24 in. trans.	1:	75	15 00	
6.6	lantana,	12 to 18 in. trans.	1	85	7 00	
66	44	2 to 2½ ft. trans.	1 :	25	10 00	
66	44	3½ to 4 ft. trans.	1 '	75	15 00	
86	molle,	8 to 12 in. trans.	1 (	00	8 00	
66	86	2 ft. trans.	1 8	50	12 00	
14	44 li	eavy specimens, 4 to 5 ft. trans.	10 (	00		

\*The specimen Viburnum molle are extra fine, well-grown plants. They have been transplanted and have had ample room to develop. For securing an immediate effect, these plants will be found most satisfactory.

6.6	nudum (cassinoides),			12 to 18 in. trans.	1 50	12 00	
6.6	46 46			2 ft. trans.	2 00		
4.6	oxycoccos (opulus), B	ush Cra	nberry,	12 to 18 in. trans.	85	7 00	
6.6	opulus sterilis, Comi	non Sno	wball,	12 to 18 in. trans.	85	7 00	
66	66 66 65		66	3 to 4 ft. trans.	1 00		
6.6	" nanus, Dwa	rf,		10 to 12 in. trans.	1 00		
6.6	plicatum, Jap. S	nowball	(True)	12 to 18 in. trans.	1 25	10 00	90 00
6.6		66	66	18 to 24 in. trans.	1 50	12 00	100 00
6.6	16 , 66	4.6	4.6	21/2 to 3 ft. trans.	1 75	15 00	150 00
4.4	44 44	66	44	3 ft. heavy	2 00	18 00	
6.6	" rotundifolia	4		12 to 18 in. trans.	1 50		
66	tomentosum,			12 to 18 in. trans.	1 00	8 00	
6.6	44		heavy,	21/2 to 3 ft. trans.	1 50	12 00	
8.8	prunifolia, Sheep-b	erry,		12 to 18 in. trans.	1 50	12 00	
4.6	66 66			2 to 2½ ft. trans.	2 00		

			Per 10	Per 100	Per 1000
Vitex agni	us-catus, Blue,	4 to 5 ft. trans.	<b>\$1</b> 50		
Weigela	Abel Carier, Crimson,	12 to 18 in. trans.	1 25		
"	arborea versicolor, Pink,	3 ft. trans.	1 00		
66	" heavy	, 3 to 4 ft. trans.	1 25	\$10 00	
66	candida, White,	2 to 21/2 ft. trans.	1 00	9 00	
4.6	44 44	4 ft. trans.	1 25		
8.6	Eva Rathke, Crimson,	2 to 2½ ft. trans.	1 25	10 00	
86	Groenewegenii, Pink, fine, heavy	7, 3 ft. trans.	1 25	10 00	
66	nana variegata,	1 ft. trans.	1 00		
8.6	rosea, Rose,	2 ft. trans.	1 00	9 00	
Zanthod	eras sorbifolia, from 7 in. pots	s, 2 ft.	3 50		
Zanthor	hiza apilfolia,	6 in. trans.	1 50	12 00	

### HEDGE PLANTS.

#### DECIDUOUS.

					Per 100	Per 1000
Fagus	ylvatica, Eng	lish Beecl	1.	2 ft. trans.	\$18 00	
	"	66 66	•	3 to 4 ft. trans.	25 00	
66	46	46 45		4 to 5 ft. trans.	30 00	
66	41	46		5 to 6 ft. trans.	40 00	
Cledits	chia triacantl	a, Honey L	ocust.	6 to 8 in. seed.	50	\$3 00
	a aurantiaca,			2 yr.		
66	44	"		4 ft. bushy	8 00	50 00
Salix Bri	itzensis, Red-	barked W	illow.	2 to 2½ ft. 2 yr.	2 00	
66	44	44	46	4 to 5 ft. trans.	15 00	
Berberi	s Thunbergii,	Japanese	Barberry	, 10 to 12 in. trans.	9 00	80 00
46	66	* 66	44	12 to 15 in. trans.	10 00	90 00
66	66	66	44	2 to 21/2 ft. trans.	12 00	
6.6	vulgaris, Cr	een Barbe	errv.	6 to 10 in, seed.	1 50	10 00
66	66	46 66	,	10 to 12 in. trans.	5 00	40 00
6.6	**	46 66		12 to 18 in. trans.	6 00	
66	44	66 66		18 to 24 in. trans.	7 00	
4.6	66	46 46		2 ft. trans.	. 9 00	
23	'purpurea, p	urple-lea	ved.	1 ft. trans.	7 00	
86	66.	66		18 to 24 in, trans.	9 00	
Cornus	alba, red-tw	igged dos	18 to 24 in. trans.	7 00	60 00	
66	66 66		66	2 ft. trans.	9 00	
66	46 66		44	2 to 21/2 ft. trans.	10 00	
" stole	onifera lutea, `	rellow-ba	rked dog	wood, 1 ft.	5 00	42 00
6.6		White Tho		8 to 12 in. seed.	3 00	20 00
66	66	65 64	•	2 to 21/2 ft. trans.	10 00	
66	46	46 66		21/2 to 3 ft, trans.	12 00	
8.6	. 66	66 66		3 to 4 ft, trans.	15 00	100 00
66	44	66 66		4 to 5 ft. trans.	<b>30</b> 00	
86	crus galli,	Cockspur	Thorn,	8 to 12 in. seed.	3 00	15 00
4.6	66 66	66	46	12 to 18 in. seed.	4 00	
66	46 66	66	66	12 to 18 in. trans.	8 00	70 00
4.6	66 66	46	8.5	2 to 21/2 ft. trans.	10 00	90 00
66	66 66	44	66	2½ to 3 ft. trans.	12 00	100 00
66	F6 66	66	66	3 to 4 ft. trans.	20 00	
66	66 . 68	**	66	4 to 5 ft. trans.	25 00	
8.6	66 66	46 ,	66	5 to 6 ft. trans.	35 00	
Cratæg	us oxycantha	, English	Hawthori	18 to 24 in. trans.	7 00	60 00
"	44	16	66	2 to 21/2 ft. trans.	8 00	
44	46	66	46	2 to 3 ft. trans.	10 00	80 00
66	44	44	- 66	3 to 4 ft. trans.	12 00	
Eleagnu	us parvifolius,	Silver Th	orn,	5 to 6 ft. heavy trans.	12 00	100 00

		Per 100	Per 1000-
Hibiscus, Althæa,	2 to 2½ ft. trans.	\$8 00	
" variegata,	1 ft. trans.	8 00	
" Totus albus, single white,	3 ft. trans.	10 00	
Ligustrum Ibota,	18 to 24 in. trans.	6 00	
	2 to 2½ ft. trans.	8 00	\$70 00
66	3 ft. trans.	10 00	
" ovalifolium, California Privet,	1 to 2 ft. 1 yr.	2 00	15 00
26 68 66 66	2 to 21/2 ft. trans.	3 00	20 00
22 24 25	21/2 to 3 ft. trans.	5 00	40 00
" vulgare, Common Privet,	18 to 24 in, 1 yr.	3 00	20 00
Pyrus Japonica, red, Japanese Quince,	1½ to 2 ft.	8 00	
Rhamnus Catharticus, Buckthorn,	5 to 6 in. seed.	1 25	8 00
	2 to 3 ft. trans.	6 00	
56 66	4 to 5 ft, trans.	10 00	
Rosa rugosa, red,	6 to 10 in, seed.	2 00	12 00
66 66 66	2 to 3 ft. 2 yr. seed.	3 00	15 00
66 66	18 to 24 in. trans.	8 00	70 00
66 66	2 to 2½ ft. trans.	10 00	
· EVERGREEN HED	GE PLANTS.		
Abies canadensis, Hemlock Spruce,	12 to 15 in, trans.	25 (0	
" excelsa, Norway Spruce,	12 to 15 in. trans.	10 00	
Thuja globosa, Clobe Arbor Vitæ,	6 to 8 in. trans, heavy	25 00	
" Hoveyii,	12 to 15 in, trans, heavy	25 00	
" pumila,	1 ft. trans. heavy	25 00	
" pyramidalis, Pyramidal Arbor Vitæ,		15 00	
11 11 11 11	18 to 24 in, trans.	25 00	

### EVERGREENS.

\*All of our evergreens have been once or more transplanted, the larger sizes several times, and the choice varieties we move every period not exceeding two years. These choice varieties are all dug with a ball of earth and the ball sewed in a mat. This makes transplanting almost an assured success.

				Per 10	Per 100	Per 1000
Abies	Canadensis, Hemlock Spi	ruce.	12 to 15 in. trans.	\$3 00	\$25 00	
. 44	64 44		2 to 3 ft. trans.	6 00		
6.6	excelsa, Norway Spruc	Θ.	12 to 15 in, trans.	1 50	10 00	
66	Douglassi,		2 to 21/2 ft. trans.	7 50		
8.6	Englemanni,		2 to 21/2 ft. trans.	17 50		
6.6	excelsa pyramidalis,		3 to 4 ft. trans.	15 00		
6.6	Remontii,		2 ft. trans.	12 50		
6.6	excelsa Wale's Weeping,		3 to 4 ft. trans.	17 50		
8.6	Orientalis,		2½ to 3 ft. trans.	15 00		
**	polita,		3 ft. trans.	17 50		
6.6	pungens glauca,		2 to $2\frac{1}{2}$ ft. trans.	30 00		
Andro	meda Japonica,		10 to 12 in. trans.	6 00		
Azale	a amœna, f	rom 5 in. pots,	10 to 12 in.	4 00	35 00	
Biota	orientalis, Chinese Arbor	Vitæa,	12 to 18 in. trans.	1 75		
6.6	**		2 to 3 ft. trans.	2 50		
6.6	elegantissima, Golden,		12 to 18 in, trans.	2 50		
Buxus	arborescens,		2½ ft. trans.	6 00		
66	elegantissima variegata,		1 ft. trans.	6 00		
66.	minima glauca,		18 to 24 in. trans.	6 00		
8.0	pyramidalis Hartwickensis,		18 to 24 in, trans.	8 50		
66	rotundifolia, Japanese,		18 in. trans.	10 00		
Cedru	S Atlantica glauca,	from pots,	2 to 2½ ft.	15 00		

		Per 10	Per 100	Per 1000
Cupressus Lawsoniana,	1 ft. trans.	\$3 50		
	from tubs, 5 ft.	17 50		
" Allumi, Blue Cyp	press, from pots, 2 to 21/4 ft.	12 50		
" " stricta viridis,	3⅓ ft. trans.	12 50		
rica vagans capitata, Scotch Heat	h, from 4 in. pot, 12 to 18 in.	3 50		
Euonymus Sieboldi,	1 ft. trans.	1 25	\$10 00	
Juniperus communis,	18 to 24 in. trans.	3 50	25 00	
" Douglass' Golden,	8 to 12 in. broad tran	s. 5 00	40 00	
" Hibernica, Irish Junipe	or, 12 to 15 in. trans.	2 50	20 00	
66 66 65	. 18 to 24 in. trans.	3 00	25 (0	
" prostrata,	heavy, 15 to 18 in. trans.	3 00	<b>25</b> 00	
66 66 66	2 ft. traps.	3 50	30 00	
" suecica compacta,	6 to 8 in. trans.	2 50		
" stricta,	10 to 12 in. trans.	2 50	20 00	
" Virginiana, Common Red	Cedar, 12 to 18 in. trans.	2 00	15 00	
	large tubs, 5 ft. trans.	50 00		
" Nordmanniana,	2½ to 3 ft. trans.	20 00	150 00	
Pinus Austriaca, Austrian Pine,	$2\frac{1}{2}$ to 3 ft, trans.	3 50	30 00	
" cembra, Swiss Stone Pine	2 ft. trans.	10 00		
Retinispora filifera,	3 to 31/4 ft. trans.	10 00		
" obtusa,	3 to 4 ft. trans.	12 50		
" pisifera aurea,	3 ft. trans.	10 00		
" plumosa argentea,	2½ ft. trans.	7 50		
Rhododendron punctatum,	12 to 18 in. trans.	3 50		
ciadopitys verticillatus, Umbrella	a Pine, from tubs, 2 ft.	25 00		
Taxus baccata, English Yew.	2½ ft. trans.	12 50		
" Hibernica, Irish Yew.	2 to 21/4 ft. trans.	15 CO		
" baccata pyramidalis,	2 to 21/2 ft. trans.	15 00		
Thuja gigantea,	12 to 18 in. trans.	2 50		
" globosa,	heavy, 6 to 8 in. trans.	3 00	25 00	
" Hoveyi,	heavy, 12 to 15 in trans.	3 00	25 00	
" pumila,	heavy, 1 ft. trans.	3 00	25 00	
" pyramidalis,	12 to 18 in, trans,	2 00	15 00	
66 46	18 to 24 in, trans,	3 00	25 00	
Yucca filamentosa,	l year seed.	25	1 00	<b>\$</b> 5 0
" "	2 year seed.	35	1 50	6 0
66 66	3 year trans.	75	5 00	
66 66	4 year trans.	1 00	8 00	70 0

### VINES AND CLIMBERS.

Special attention is called to the Vines offered from pots. These were potted up early last spring and have been carefully grown and trained to stakes. They are taken out of the pot before shipping, and placed in a paper flower-pot; this, while preserving the ball, reduces the weight. These vines will be found much more satisfactory to use than those from the open ground; and far better and quicker results are obtained.

					Per 10	Per 100	Per 1000
Actinidia a	arguta,			from 5 in. pots	<b>\$</b> 3 <b>5</b> 0	\$35 00	
Akebia quir	nata,			2 to 3 ft.	85	7 00	
Ampelops	is Engleman	ni		2 to 3 ft.	85	7 00	\$60 00
46	Virginica,	Virginia	Creeper,	2 to 2½ ft.	75	6 00	50 00
4.6	. 44	• "	"	from 5 in. pots	2 50	25 00	
66	Veitchii, J	apan or	<b>Boston Iv</b>	y, 1 year seed.	25	1 25	10 00
46	66	- 44	66	2 to 3 ft.	1 25	10 00	
66	4.6	66	65	from 4 in. pots	2 50	20 00	
Aristoloch	ia Sipho, D	utchma	n's Pipe.	from 7 inch pots	\$5 00	50 00	
Berchemia	a volubilis,			8 to 10 in.	1 00	8 00	
Bignonia	radicans, Tru	umpet V	ine,	6 to 10 in.	75	6 00	50 00
- "	44	44	44	from 5 in, pots	2 50	25 00	

		Per 10		Per 1000
Celastrus articulatus, Jap. Staff Vine,	18 to 24 in.	<b>\$</b> 1 00	\$8 00	
es es es	from 5 in, pots	2 50		
scandens,	6 in.	75	5 00	
	18 to 24 in.	85	7 00	
46 66	2 to 2½ ft.	1 00		
46 66	from 5 in. pots	2 50		
Clematis paniculata,	strong, 3 years	1 00	7 00	\$ 60 00
46	from 3 in. pots	1 50	12 00	100 00
es 46	from 5 in. pots	2 50		
" heavy,	from 7 in. pots	5 00	50 00	
" Virginiana, Virgin's Bower,	2 year	1 00		
" vitalba,	2 to 3 ft.	85		
" viticella,	from 4 in. pots	2 50		
Dioscorea batatas, Chinese Yam,	2 year	1 00		
66 66 66	from 3 in. pots	1 50		
Dolichos Japonicus (Pueraria Thunbergii), Kı	idzu Vine, 5 in. p	ots 3 50	35 0 <b>0</b>	
66 66 0	" 6 in. p	ots 5 00	50 00	
Euonymus radicans, Green-leaved,	1 ft.	1 00	9 00	
" variegatus, Varigated-leave	d 1 ft.	. 1 00		
Hedera Helix, English Ivv.	from 4 in. pots	1 50	15 00	
" "	from 5 in. pots	2 50	25 00	
Jasminum nudiflorum, Yellow Jasmine,	from 5 in. pots	3 50		
" officinale, White Jasmine,	from 5 in, pots	3 50		
Lonicera brachypoda, Evergreen Honeysuckle.	strong, 12 to 18 in.	85	7 00	
" aurea reticulata, Golden-leaved,	" 12 to 18 in.	85	7 00	
" Halleana, Hall's Japanese,	44 12 to 18 in.	85	7 00	
Lycium sinensis, Matrimony Vine,	2 to 2½ ft.	50	4 00	
Menispermum canadensis, Moon Seed,	12 to 18 in.	1 25	10 00	
Passiflora incarnata,		1 50	10 00	
Pueraria Thunbergii. See Dolichos.				
Vitis æstivalis,	6 to 10 in.	75	5 00	
" cordifolia,	8 to 12 in.	75	5 00	
" heterophylla	8 to 12 in.	35	2 50	10 0
16 16	12 to 18 in.	50	4 00	
" variegata,	from 5 in. pots	2 50	25 00	
" labrusca,	8 to 12 in.	75	5 00	
" riparia, Sweet-scented Crape,	12 to 18 in.	75	5 00	
Wistaria frutescens, American Clycine,	2 to 3 ft.	75	5 00	
" magnifica.	6 in, seed.	35	1 25	10 0
	6 in, seed.	35	1 50	10 0
" sinensis, Chinese Blue,	2 to 3 ft.	1 50	1 00	10 0
		1 25	10 00	
" alba, Chinese White,	1 ft.		20 00	
66 66 66	from 4 in. pots	2 00		
**	from 5 in. pots	<b>2</b> 50	25 00	

# HARDY HERBACEOUS PERENNIALS. HARDY GRASSES AND FERNS.

							Per 10	Per 100
Achillea Millefo	lium rubra,						\$0 80	\$7 00
" "The Pea	r1," .						75	7 00
" taygetea,							1 00	6 50
" tomentosa	ı, .						75	6 50
Agrostemma	coronariaial	ba,					80	7 00
"	44	(Re	d),				1 00	8 00
Ajuga genevensi	з, .						75	6 00
Anemone Japon	ica rosea,						1 00	8 00
46 6	"Whir	lwind.	,79				1 00	6 00
" Uirgin	iana, .						75	6 00

								P	er 10 F	Per 100
Anthemis tinctoria, .							op sold			\$8 00
" pallida,							. 47	. 1	75	15 00
Aquilegia caerulea, .						7.0		-	25	8 00
" Canadensis, .							1		25	9 00
" flabellata nana alb	a,						. 100	. 2		15 00
vulgaris, .									75	7 00
Armeria maritima alba,							-	. 1	25	6 00
Artemisia pontica,								1	50 .	3 00
Asclepias speciosa, .								. 1	50 1 80	10 00
Aster Novæ Angliæ, "longifolia "Lady Trevel	Irrn "							. 1		6 00 12 50
" Novai Belgii "Top Saw				91.00					00	8 00
" pyramidalis hybr.	, cı,	•			•		Jan Brand	-	50	9 00
" Tataricus,							A. I. rea	1198	80	5 00
Belamcanda Chinensis,							Charles .		50	3 00
Bellis perennis,						Maria .		."	50	2 50
Bocconia cordata, .									75	7 00
Callirhoe involucrata, .								. 1	25	10 00
Campanula carpatica (Blue	),							. 1	00	7 00
" latifolia macran	tha,						-2000	. 1	00	6 00
" Medium cæsia,								. 1	00	8 00
" persicifolia,								. 1	00	7 00
" rotundifolia,								. 1		12 00
Cimicifuga racemosa, .								. 1		9 00
Centaurea macrocephala,							. 11191		00	7 00
" nigra variegata,							10.01			10 00
Cerastium tomentosum,										10 00
Chrysanthemum, assorted	d or na	amed,							25	6 00
Clematis Davidiana, .								. 1	00	6 00
Convallaria majalis, .					-					2 75
" variegat	a,	•							50	4 00
Coreopsis grandiflora, .		•								10 00
" senifolia, .							•	. 1	25 1 60	10 00
10864,	1				*.	• .		. 1	25	5 00.
Delphinium formosum, Dianthus barbatus,	•		•						25	6 00
Dicentra spectabilis, .									00	6 50
Digitalis purpurea, .	1	•	•		•	•			00	8 00
Erigeron speciosus, .			-						00	8 00
Eryngium planum, .							-	C. Marin	40	2 50
Eupatorium cælestinum.							- 100	Mane	75	5 00
Funkia Japonica, .								. 41		12 00
Caillardia aristata grand.,						17 200			00	6 00
" compacta, .							. 1810			12 00
Geum coccineum, .								. 1		12 50
Cnaphalium Leontonyx,							. 48	. 1		10 00
Cypsophila Bokejeka, .								. 1	00	9 00
" paniculata,								. 1	00	6 00
Caillardia grandiflora .										00 01
Helenium autumnale sup.,								. 1	00	6 00
Helianthus giganteus, .							12 12	. 1949	75	4 00
" grosse-serratus,				1 1				· 14016	75	7 00
mons, .									00	6 00
orgyans, .							11.	, _		6 00
Heliopsis laevis,							. 190			9 00
" Pitcheriana, .								. 1	00	9 00
Hemerocallis flava, .			•		•				50	0.00
ruiva, .	wor									3 00
" fl. pl. (K	war s	3),				- 10				9 00
Hibiscus moscheutos "Crimso	n Fr	,,,	•			-			00	7 50 6 00
" grandiflora,	a Eyt	,								6 00
Simumora, .		-	•					. 4	00 1	.00

						Per 10	er 100
Hieracium stoloniferum,					. 16		\$2 50
Hollyhock, dbl. White,						. 1 25	8 00
" " Red,						. 1 25	8 00
" Yellow,						. 1 25	8 00
" Pink,						. 1 25	8 00
" Assorted,						. 1 25	8 00
" Single,	-				.516	. 1 00	6 00
iberis semperflorens superba,						. 1 50	11 00
" sempervirens,						. 1 50	12 00
"Tenoreana,							11 00
Inula Helenium,				40000		. 1 00	9 00
Iris cuprea,							22 50
Germanica. Assorted,						. 1 00	8 00
Suver King, , .						. 1 00	8 00
laevigata (Kæmpieri), Assorted, .							10 00
securings, .						. 1 00	9 00
Pallita, , . ,						. 75	5 00
pseud-acorus,						. 1 00	
common orientano, , , ,	-						8 00
Lathyrus grandiflorus,			-				10 00
Lavandula vera,		. **					10 00
" candidum,						. 80	7 00
" speciosum album,							10 00
" roseum,							10 00
" rubrum, "							10 00
" tigrinum,		1 160			- 1	. 1 50	9 00
Linum perenne,						. 75	5 00
Lobelia cardinalis,						. 100	6 00
" syphilitica,						. 50	3 50
Lychnis chalcedonica,						. 1 00	6 00
" Haageana,						. 1 25	8 00
" Flos-cuculi,						. 1 25	10 00
" Flos-Jovis,						. 1 25	8 00
" Viscaria splendens,						. 1 25	8 00
Lysimachia vulgaris,						. 75	4 00
Lythrum roseum superbum,							10 00
Myosotis dissitiflora,						. 1 00	7 50
Nepeta Glechoma var.,			2			. 75	5 00
Opuntia Rafinesquii Greenii, .						. 1 25	8 00
Paeonia officinalis alba,							30 00
10864,							30 00
sinensis (nameu) assorteu, .							15 00
Pachysandra terminalis,						. 1 25	8 00
Papaver Orientale,							10 00
Passiflora incarnata,		•	•	-			10 00
" barbatus,						. 75	6 00
" Digitalis,			•		•	. 1 00	6 00
" Hartwegii,							10 00
Phlox decussata, assorted,							0 00
" maculata,						. 1 00	6 00
" subulata rosea,						. 1 00	6 00
" alba,					1	. 1 00	6 00
" "Sadie,"						. 1 25	8 00
Physostegia denticulata,						. 75	6 00
Platycodon grandiflorum,	- 1					. 1 00	6 00
" fl. pl.,							0 00
" Mariesii alba,					. 1		9 00
Potentilla named hybrids,				14			5 00
rupestris,				10			7 00
Polygonum cuspidatum,						. 1 25 1	1 00

	Per 10	Per 100
Primula suaveolens,	\$0.75	\$5 00
Pyrethrum roseum,	75	7 00
" uliginosum,	75	5 00
Ranunculus aeris fl. pl.,	1 00	7 50
Rudbeckja Golden Glow,	75	4 00
" Newmani,	1 00	8 00
Salvia azurea grand.,	1 00	7 00
Saxifraga crassifolia,	1 50	12 50
Scabiosa Caucasica,	1 50	10 00
" lutea,	1 00	9 00
Sedum sexangulare,	75	5 00
" Telephium,	75	4 00
Sempervivum Verloti,	40	3 00
Solidago nemoralis,	1 50	4 50
Spiraea Filipendula fl. pl.,	1 00	8 00
" multiflora comp.,	1 25	10 00
" ulmaria alba pl ,	1 60	. 6 00
Stachys lanata,	60	4 00
Statice latifolia,	1 50	10 00
Thalictrum aquilegifolium,	1 00	7 00
-1	1 00	7 50
	60	5 00
	1 00	8 00
	1 25	7 00
	1 25	10 00
	1 25	8 00
Managina singuitan		
ii onndida	1 00	7 50
	1 50	10 00
" Hendersoni,	1 50	12 00
" spicata nana,	80	7 00
reacrium,	1 00	9 00
Viola odorata alba,	1 25	9 00
" cucullata "Pink Gem,"	1 00	7 50

#### GRASSES.

							Per 10	Per 100	Per 1000
Assorted Ferns,							\$1 00	\$8 00	\$40 00
Acorus Calamus varie	egat	us, .					1 25	10 00	
Arundo donax,						-	2 50	19 00	
" variega	ata,						3 00	20 00	
Bambusa Metake,							3 00	20 00	
Calamagrostis stri	cta	variega	ta,				75	4 00	
Erianthus Ravennæ,					 		2 00	16 00	
Eulalia Japonica,					 		 1 50	8 00	
" gracillima,				. 1			2 00	15 00	
" variegata,							2.00	15 00	
" zebrina, .							1 50	10 00	

### Fall, 1902

## FRUIT STOCKS AND SEEDS

CONDITIONS.—All offers and acceptances of orders are subject to our receiving the full quantity for which we have placed orders with our growers and collectors. Failing to get these amounts, we reserve the right to reduce proportionately all orders that have been booked.

FRUIT STOCKS			PER 1000 IN
	PER 100	PER 1,000	10,000 LOTS
Apple, Western3-16 and up	\$ 75	\$ 5 50	\$5 00
662-16 to 3-16	50	3 50	3 00
"No. 3	35	2 00	I 75
" Paradise5-9 mm.	I 75	15 00	
Mahaleb Cherry4-8 mm.	75	4 75	4 35
"3-5 mm.	50	3 50	2 65
Mazzard Cherry7-12 mm.	I 50	10 50	10 00
66 663-5 mtm.	75	4 50	4 25
Manetti Rose (French)st grade	I 50	10 50	10 00
" " 2nd grade	I 00	7 50	7 00
" (English), for florist grafting,	I 50	12 00	11 50
Note.—These English-grown Manetti have been especially grad of a suitable size for florists use in grafting Tea roses. They a stronger and better-rooted than the French-grown stock, and can potted into a 2½-inch pot.	re		
Myrobolan Plum5-7 mm.	85	4 75	4 35
66 663-5 mm.	65	3 50	3 00
Pear, French (scarce)6-10 mm.	I 75	13 00	
" "	I 00	8 50	
66 66 663-5 mm.	75	5 25	
NOTE.—In spite of the fact that French Pear Stocks were large offered early in the season, it is now found that they are ve scarce. In view of the limited quantities offered we can only acce orders for French Pear Stocks when other fruit stocks are all ordered in equal proportions.	ry pt		
Quince, Angers7-12 mm.	I 50	12 00	
" "4-6 mm.	I CO	8 00	

Prices given above are not import prices. The prices named are for the goods here at Dreshertown, freight and duty paid. Cost of box and packing will be additional.

### FRUIT SEEDS.

While we try to procure the very best seeds on the market we give no guarantee, either expressed or implied. Samples will always be furnished when applied for. If the seeds are not accepted on these terms, we must be notified at once. If they are kept it will be taken as proof that they are satisfactory. All claims must be made upon receipt of goods.

Apple, French Crab. (Scarce.) Prices upon application.

Cherry, Mahaleb. (Scarce. Supply exhausted.)
Cherry, Mazzard. 20 cts. per lb.; \$7.00 per bus.; 3 bus. @ \$6.00 per bus.; 5 bus.

@ \$5.00 per bus Plum, Myrobolan. 40 cts. per lb.; \$11.00 per bus.; 3 bus. @ \$10.50 per bus.

Peach, Natural. 20 cts. per lb.; \$1.25 per bus.; 10 bus. @ \$1.15 per bus.; 100

bus. @ \$1.05 per bus. These are the best small-sized Southern Natural Pits. None better.

Pear, French. Prices upon application.
Pear, Kieffer. \$2.25 per lb.; 25 lbs. @ \$2.00 per lb.; 50 lbs. @ \$1.75 per lb.; 100 lbs. @ \$1.50 per lb.

Quince. \$1.50 per lb.; 5 lbs. @ \$1.25 per lb.; 10 lbs. @ \$1.00 per lb.

When seeds are to be sent by mail add 10 cts. per lb. to the price to cover cost of postage.

RAFFIA: I bale (about 225 108) @ 9 cts. per lb.; 25 lbs. @ 12 cts. per lb.; 1 lb. @ 15 cts. per lb.; 1 lb. (post-paid) for 30 cts. I bale (about 225 lbs) @ 9 cts. per lb.; 100 lb. bale @ 10